

QUALITY TOOLS & EQUIPMENT



SALES • RENTALS • SERVICE

SAFETY CATALOG



THE COMPLETE SOURCE

EL PASO, TX

1211 Barranca Dr. • 79935
Phone (915) 592-9700
Toll-Free (800) 748-3726
Fax (915) 592-3311
elpaso@franks-supply.com

FARMINGTON, NM

2655 E. Bloomfield Hwy • 87401
Phone (505) 327-9831
Toll-Free (800) 541-8449
Fax (505) 326-0271
farmington@franks-supply.com

ALBUQUERQUE, NM

3311 Stanford Dr. NE • 87107
Phone (505) 884-0000
Toll-Free (800) 432-5254
Fax (505) 884-1787
info@franks-supply.com

HOBBS, NM

2230 W. Bender Rd. • 88240
Phone (575) 397-0220
Toll-Free (866) 475-8665
Fax (575) 397-0158
hobbs@franks-supply.com

LOS ALAMOS, NM

268 DP Road • 87544
Phone (505) 661-1100
Toll-Free (888) 568-1100
Fax (505) 661-2509
losalamos@franks-supply.com

visit us at www.franks-supply.com

ATTENTION FEDERAL GOVERNMENT AGENCIES

Place Orders Today On
QUALITY TOOLS & EQUIPMENT



SALES • RENTALS • SERVICE
GSA Federal Supply Contract

Contract Number GS-06F-0031L

Woman-Owned Small Business

Check Out Our GSA Pricing at GSA Advantage!



www.gsaadvantage.gov

Search Frank's Supply



Contract Includes Sales and Rentals

- ★ *Dedicated Government customer service representative at each location*
- ★ *Accept Government procurement cards on purchase orders*
 - ★ *13 years experience in GSA contract schedules*
 - ★ *DeWalt ~ Genie ~ Knaack ~ Miller ~ Stanley-Proto*
 - ★ *Over 400 manufacturers represented*
 - ★ *5,000+ items on GSA Advantage*
 - ★ *On-time deliveries*

Contents

Safety Glasses.....	2
Hard Hats.....	14
Hard Hat Accessories.....	16
Head Liners.....	17
Ear Protection.....	18
Respirators.....	19
Gloves.....	19
Boots.....	33
Rain Suits.....	34
Fall Protection.....	34
Safety Vest.....	42
Personal Protection.....	44
Fire Extinguishers.....	46
Flammable Liquid Storage.....	47
Surface Shields.....	49
First Aid.....	50
Lock Out Tag Out.....	51
Traffic Safety.....	57
Sun Protection.....	58
Index.....	59

Safety Glasses

Radians®
Anti-Fog Perforated Goggle
Clear



- Perforated side shields.
- Adjustable elastic strap.
- Fits over most prescription eyewear.
- Youth size available.
- Meets ANSI Z87.1 + standards.
- Meets Canadian safety standards.

Part #	Color/Style
GGP111ID	Clear / Perforated

Radians®
Chemical Splash Safety
Goggles
Clear



- Adjustable neoprene strap.
- Indirect vents.
- Fits over most prescription eye wear.
- Youth size available.
- Meets ANSI Z87.1 + standards.
- Meets Canadian safety standards.

Part #	Color/Style
GGO111ID	Clear

**FAMILY OWNED
AND OPERATED
SINCE 1953**



**Hobbs, NM
(866) 475-8665**

Radians®
OTG Safety Eyewear
Clear Frame
Chief™



- Integrally molded brow guard.
- Can be worn over prescription glasses.
- Traditional looking safety glasses offering outstanding vision protection.
- Reinforced side shields provide high-impact lateral protection.
- Available in youth size.
- Meets ANSI Z87.1 + standards.
- Meets Canadian safety standards.

Part #
360-C

Pyramex® Safety Products
Anti-Fog Safety Glasses
Black Strap/Interchangeable
Black Temples
V2G



- Foam padding forms a perfect seal to keep out dust and airborne particles
- Lenses are treated to prevent fogging and self seals small scratches
- 9.75 base curved lens provides full side protection
- Interchangeable temples/headband included with each pair of V2G
- Headband features quick fit retainer
- Lenses provide 99% protection against harmful UV-A and UV-B rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Exceeds CSA Z94.3 standards

Part #	Lens Color	Application
GB1810ST	Clear	Indoor / Impact Protection
GB1820ST	Gray	Outdoor / Glare Protection
GC1810ST	Clear / Camouflage Frame	Indoor / Impact Protection

Pyramex® Safety Products
Anti-Fog Safety Glasses
XSG



- Flame resistant foam padding forms seal to keep out dust and airborne particles.
- Interchangeable temple/strap included with each pair.
- Strap has Quick Fit retainer for easy on/off.
- Design allows air to flow freely reducing heat.
- Exceeds the ANSI Z87.1-2003 High Velocity Impact Standards.
- CE EN 166 Certified
- CAN/CSA Z94.3-07

Specifications:

- Lenses are treated to prevent fogging, scratching, and static.
- Lenses are treated to prevent fogging and self seal small scratches
- Lens and frame are vented to increase air flow.
- Offers protection from excessive glare.
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses

Part #	Lens Color	Application
GB4010ST	Clear	For indoor applications that require impact protection.
GB4020ST	Gray	Commonly used in outdoor applications

**We are in touch
with the world's
largest and best
manufacturers.**



**Centralize your
purchases with us!**



**Los Alamos, NM
(888) 568-1100**

SAFETY CATALOG

Pyramex® Safety Products V2G-XP Clear Dual Lens



- TPU frame features excellent resistance to cold and heat and provides a perfect facial seal.
- Special indirect ventilation system located at the top and bottom of frame allow air flow & heat release.
- Includes a wide adjustable elastic strap with quick release system for secure fit.
- Optional RX-insert frame secures in the inner side of frame
- Exceeds ANSI Z87.1 High Impact Requirements
- CE EN166 Certified
- CAN/CSA Z94.3-07
- Meets MCEP GL-PD 10-12 Ballistic Standards
- AS/NZS 1337

Specifications:

- General purposes for indoor applications that require impact protection.
- Anti-Fog Lenses
- Dual Pane lens combines optically correct polycarbonate outer lens combined with interior acetate lens to create a Thermo Lens System which traps and isolates high heat or extreme cold in between the lens system and away from the face.
- The Thermo Lens System provides excellent resistance to fogging caused by the temperature difference between indoor & outdoor or between on-site and ambient environment.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.

Part #
GB6410SDT

Pyramex® Safety Products I-Force Anti-Fog Goggles



- Sporty, lightweight design eliminates the bulkiness and weight of a goggle.
- Quick Release interchangeable temples and an elastic strap.
- Indirect vented foam carriage provides maximum dust protection, as well as a sufficient airflow outlet for heat.
- The thermal system provides anti-fog protection in the worst weather conditions or extreme-temperature working environments.
- Exceeds ANSI/ISEA Z87.1
- Meets MCEP GL-PD 10-12 Ballistic Standards.
- Meets CAN/CSA Z94.3-07 Standards
- CE EN166 Certified
- AS/NZS 1337

Specifications:

- Dual pane lens provides the ultimate anti-fog performance by isolating the temperature difference inside & outside of this eye-wear.
- The outside and inside of the lens is coated with H2X™ Anti-fog Technology for even more resistance to fogging, due to extreme temperatures.
- An outer polycarbonate lens protects against the environment, while an inner acetate lens is designed to prevent fogging.
- Provides 99% protection from harmful UV-A and UV-B rays.

Part #	Lens Color	Application
SB7010SDT	Clear	Indoor
SB7020SDT	Gray	Outdoor

Pyramex® Safety Products Billings Anti-Fog Carhartt



- The Billings provides a great economical option, without sacrificing style, for a wide variety of applications.
- It features lightweight, frameless design with wrap-around coverage for superior protection.
- Meets ANSI Z87.1 High Impact Requirements
- CAN/CSA Z94.3-07

Specifications:

- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses
- Anti-Fog

Part #	Lens Color	Application
CH110ST	Clear	Indoor
CH120ST	Gray	Outdoor



Pyramex® Safety Products Safety Glasses Rubber Temple Tip Ztek



- Soft, non-slip rubber temple tips
- Integrated nose piece
- Lenses provide 99% protection against harmful UV-A and UV-B rays
- Lenses are coated for superior scratch resistance
- No. S2580S has clear UV400 Polycarbonate lens that provide 100% protection from harmful UV-A and UV-B rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Exceeds CSA Z94.3 standards

Part #	Lens Color	Application
S2510S	Clear	Indoor / Impact Protection
S2510S/TRIAD	Clear	Indoor
S2520S	Gray	Outdoor / Glare Protection
S2520S/TRIAD	Gray	Outdoor
S2530S	Amber	Indoor / Low Light
S2560S	Blue	Indoor Applications
S2570S	Sliver Mirror	Outdoor / Glare Protection
S2580S	Clear Mirror	Indoor & Outdoor / Glare Protection
S2590S	Gold Mirror	Indoor & Outdoor / Glare Protection

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

**Pyramex® Safety Products
Safety Glasses**

Itek



- Commonly used in outdoor applications.
- First class optical lens provides unrestricted vision.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.
- Newly designed ventilated nosepiece allows heat to dissipate from nose bridge to reduce fogging.
- Soft dual injected rubber temple tips and flexible nosepiece provide non-slip comfort.
- 9.75 base curved lens provides excellent side protection against air-borne particles.
- Lightweight, frameless protection is ideal for all-day wear.
- Exceeds ANSI Z87.1-2003 High Impact Requirements
- CAN/CSA Z94.3-07
- CE EN166 Certified

Part #	Lens Color	Application
S5820S	Gray	Gray

**Pyramex® Safety Products
Safety Glasses**

Frame & Lens Combination

Alair



- Polycarbonate frame and lens combination are coated for superior scratch resistance
- Straight temples and integrated nose piece fits most facial features
- Lenses provide 99% protection against harmful UV-A and UV-B rays
- Exceeds ANSI Z87.1-2003 High Impact requirements
- CE EN166 certified

Part #	Lens Color	Application
S3210S	Clear	Indoor / Impact Protection
S3220S	Gray	Outdoor / Glare Protection

**The
COMPLETE
Source**

**Pyramex® Safety Products
Magnified Safety Glasses**

Fully Adjustable Temples

Venture II



- V2 Readers are available in 4 magnifying strengths +1.0; +1.5; +2.0; +2.5
- 9.75 base curved lens provides full side protection without distracting seams or traditional type side shields
- Black frames
- Nose buds secure the glass and prevent slipping while providing a pillow soft fit
- Lenses are coated for superior scratch resistance
- Lenses provide 99% protection against harmful UV-A and UV-B rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Exceeds CSA Z94.3 standards

Part #	Lens Magnification Strength	Lens Color	Application
SB1810R10	+1.0	Clear	Indoor / Impact Protection
SB1810R15	+1.5	Clear	Indoor / Impact Protection
SB1810R20	+2.0	Clear	Indoor / Impact Protection
SB1810R25	+2.5	Clear	Indoor / Impact Protection
SB1820R15	+1.5	Gray	Outdoor / Glare Protection
SB1820R20	+2.0	Gray	Outdoor / Glare Protection
SB1820R25	+2.5	Gray	Outdoor / Glare Protection

**Pyramex® Safety Products
Safety Glasses**

Zone II



- Gray polycarbonate lens with silver mirror coating
- Commonly used in outdoor applications—reduces glare
- Straight back, rubber coated temple tips
- Built in nose pads elevate frame for precision fit and weightless wear
- Lenses filter 99% of harmful UV-A and UV-B rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- SBW3370E is CE EN 166 certified

Part #	Lens Color	Applications
SBW3370E	Silver Mirror-Gray	Outdoor / Glare Protection
SS3365E	Ice Blue	Outdoor / Glare Protection

SAFETY CATALOG

Pyramex® Safety Products Safety Glasses Fully Adjustable Temples Rendezvous



- Crafted from high grade polycarbonate, machined from virgin materials and formed to shape
- Lens/frame design allows air to flow freely up and away from lens to prevent fogging
- Align the angle of the lens to the proper position for your work application with ratcheting lens pitch adjustment
- Temples adjust to four different lengths
- Adjustable nose pad conforms to a broad range of bridge sizes
- Clip and tension mounted 9.5 base curved lens eliminates screws or rivets for quick and easy lens replacement
- Provides 99% UV protection
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Provides 99% protection from harmful UV-A and UV-B rays.

Part #	Lens Color	Application
SB2810S	Clear	General Purpose / Indoor
SCB2810S	Clear / Blue Frame	General Purpose / Indoor
SB2810ST	Clear	Indoor
SB2820ST	Gray	Outdoor

Pyramex® Safety Products Spokane Safety Glasses Carhartt



- The Spokane features dual-injected straight-back temples, a flexible rubber nosepiece and a unique half-frame design.
- This comfortable and lightweight design makes the Spokane ideal for the active lifestyle.
- Meets ANSI Z87.1 High Impact Requirements
- CAN/CSA Z94.3-07

Specifications:

- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #	Lens Color	Application
CHB310D	Clear	Indoor
CHB318D	Bronze	Outdoor
CHB320D	Gray	Outdoor

Pyramex® Safety Products Safety Glasses Fully Adjustable Temples Venture II



- 9.75 base curved lens provides full side protection without distracting seams or traditional type side shields
- Black frames
- Nose buds secure the glass and prevent slipping while providing a pillow soft fit
- Lenses are coated for superior scratch resistance
- Lenses provide 99% protection against harmful UV-A and UV-B rays
- No. SB1880S has clear UV400 Polycarbonate lens that provide 100% protection from harmful UV-A and UV-B rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Exceeds CSA Z94.3 standards
- SB1810S, SB1820S, SB1860S, SB1870S, SB1880S and SB1810ST - are CE EN 166 certified

Part #	Lens Color	Application
SB1810S	Clear	Indoor / Impact Protection
SB1820S	Gray	Outdoor / Glare Protection
SB1870S	Silver mirror-Gray	Outdoor / Glare Protection
SB1875S	Blue Mirror	Outdoor / Glare Protection
SB1880S	Light Gold Mirror	Indoor & Outdoor / Glare Protection
SB1890S	Gold Mirror	Indoor & Outdoor / Glare Protection
SB1820ST	Gray	Anti-Fog Protection
SSG1810S	Clear	Indoor / Impact Protection
SB1880R20	Clear / Mirror	Indoor / Outdoor
SB1880R25	Mirror	Indoor/ Outdoor

Pyramex® Safety Products Intrepid Clear / Black Safety Glasses



- Single lens encases your eye/cheek for maximum protection.
- Soft, non-slip rubber nose piece and adjustable temples.
- Exceeds the ANSI Z87.1 High Velocity Impact Standards.
- CE EN 166 Certified

Specifications:

- Offers protection from excessive glare.
- Scratch-resistant lenses
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses

Part #	Lens Color	Application
SB1610S	Clear	Indoor

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

Pyramex® Safety Products
Safety Glasses
Black Frame
Zone



- Lenses are coated for superior scratch resistance
- Lightweight nylon frames combined with striking good looks
- Lenses provide 99% protection against harmful UV rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Available in a Polarized Model

Part #	Lens Color	Frame Color	Applications
SB910E	Clear	Black	Indoor Applications that require impact protection
SB920E	Gray	Black	Outdoor Applications
SB970E	Silver Mirror	Black	Outdoor Applications

Pyramex® Safety Products
Carbondale Safety Glass
Carhartt



- The flexible, dual-injected temples and stylish clean lines of the Carbondale make this full-frame a perfect fit for the toughest of jobs.
- The comfortable fit and stylish, two-tone frame of the Carbondale is accentuated by the flexible rubber nose piece.
- Meets ANSI Z87.1 High Impact Requirements

Specifications:

- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #	Lens Color	Application
CHB210D	Clear	Indoor
CHB218D	Bronze	Outdoor
CHB220DT	Gray	Outdoor



**WE OFFER SAFETY TRAINING
ON A VARIETY OF PRODUCTS**

Hobbs, NM
(866) 475-8665



www.franks-supply.com

Pyramex® Safety Products
Carthage Anti-Fog
Carhartt



- This versatile solution is perfect for almost any environment.
- The indirect vented foam carriage offers maximum dust protection, yet sufficient airflow to prevent fogging.
- Interchangeable temples/strap are included.
- Meets ANSI Z87.1 High Impact Requirements
- CAN/CSA Z94.3-07
- Also Available in Retail Packaging(CHB420DTPCS). Clamshell includes neoprene storage case and microfiber cleaning cloth.

Specifications:

- Commonly used in outdoor applications.
- Anti-Fog Lenses
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #	Lens Color	Application
CHB420DTP	Gray	Outdoor

Pyramex® Safety Products
ThunderBay Anti-Fog
Carhartt



- The modern half-frame design of the Thunder Bay combined with its sleek and wide dual-injected temples make this frame an excellent choice for style and function.
- Meets ANSI Z87.1 High Impact Requirements
- CAN/CSA Z94.3-07
- Each retail clamshell includes a neoprene storage case and microfiber cleaning cloth.

Specifications:

- Anti-Fog lenses
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #	Lens Color	Application
CHB510DTCS	Clear	Indoor
CHB520DTCS	Gray	Outdoor

Los Alamos, NM
(888) 568-1100

SAFETY CATALOG

Pyramex® Safety Products Ironsides Anti-Fog Carhartt



- The Ironsides offers a great option for on and off the job site.
- Straight-back flexible temples.
- Rubber nosepiece and temple tips keep eyewear secure for active workers.
- Meets ANSI Z87.1 High Impact Requirements
- Each retail clamshell includes a neoprene storage case and microfiber cleaning cloth.

Specifications:

- Anti-Fog lenses
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #	Lens Color	Application
CHB610DTCS	Clear	Indoor
CHB620DTCS	Gray	Outdoor

Pyramex® Safety Products Rockwood Anti-Fog Carhartt



- The Rockwood is a perfect solution for style and comfort.
- A suspended anti-fog lens, adjustable rubber nosepiece and integrated temple tips allow the user to have the most comfortable fit.
- Meets ANSI Z87.1 High Impact Requirements
- CAN/CSA Z94.3-07
- Each retail clamshell includes a neoprene storage case and microfiber cleaning cloth.

Specifications:

- Anti-Fog lenses
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #	Lens Color	Application
CHB710DTCS	Clear	Indoor
CHB720DTCS	Gray	Outdoor

Pyramex® Safety Products Safety Glasses Exeter



- Frame Color: Charcoal Gray
- Provides 99% protection from harmful UV-A and UV-B rays.
- This lens option is treated to prevent fogging.
- Sport styling with maximum protection.
- Curved lens with side window gives fashionable look with panoramic view.
- Durable frame gives a pressure free fit
- Soft nose piece and rubber insert temple tips provide a comfortable fit.
- Scratch resistant lenses filter out 99% of harmful UV rays
- Exceeds ANSI Z97.1 – 2003 High Impact Requirements
- Pyramex offers a lifetime guarantee on frames and lenses from breakage under normal usage.

Part #	Lens Color	Applications
SCG5110DT	Clear	General purposes for indoor applications that require impact protection
SCG5120DT	Gray	Commonly used in outdoor applications that require impact protection.
SCG5165DT	Ice Blue Mirror	Commonly used in outdoor applications
SCG5170DT	Silver Mirror	Commonly used in outdoor applications
SCG5180DT	I/O Mirror	Commonly used in indoor/outdoor applications
SB5155DT	Sky Red Mirror	Commonly used in outdoor applications

**We are in touch
with the world's
largest and best
manufacturers.**



**Centralize your
purchases with us!**



**Albuquerque, NM
(800) 432-5254**

**El Paso, TX
(800) 748-3726**

**Farmington, NM
(800) 541-8449**

Pyramex® Safety Products
Safety Glasses
Solara



- Lenses filter 99% of harmful UV rays
- Extended lens provides complete coverage
- Built in nose pads elevate frame for precision fit and weightless wear
- Straight back temples with rubber insert provides comfort fit
- Exceeds ANSI Z87.1-2003 High Impact Requirements

Part #	Lens Color	Frame Color	Applications
SB4310D	Clear	Black	General purposes for indoor application that require impact protection. Provides 99% protection from harmful UV-A and UV-B rays.
SB4320D	Gray	Black	Commonly used in outdoor application. Offers protection from excessive glare and high levels of harmful UV-A and UV-B rays.
SB4360D	Blue	Black	Indoor applications where there is an excessive amount of yellow or sodium vapor light
SB4380D	Mirror-Clear	Black	Indoor / Outdoor UV400 Polycarbonate lens provides 100% protection from harmful UV-A and UV-B rays. Coated with a light gold mirror finish to reduce glare. Commonly used where it is required to move between indoor applications to outdoor applications.
STG4310D	Clear	Gray	General purposes for indoor application that require impact protection. Provides 99% protection from harmful UV-A and UV-B rays.
STG4320D	Gray	Gray	Commonly used in outdoor application. Offers protection from excessive glare and high levels of harmful UV-A and UV-B rays.
STG4370D	Silver Mirror	Gray	Commonly used in outdoor applications. Reduces glare.

Pyramex® Safety Products
Safety Glasses
Goliath



- General purposes for outdoor applications that require impact protection.
- First class optical lens provides unrestricted vision.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.
- Goliath demonstrates strength with style and protection.
- Wrap-around, sunglass style fits all facial sizes.
- Lightweight, contemporary frame is comfortable for both working environments and recreational activities.
- Comfort-fit, rubber temples prevent eyewear from slipping to provide maximum performance.
- Exceeds ANSI Z87.1-2003 High Impact Requirements

Part #	Lens Color	Frame Color	Applications
SB5620D	Gray	Black	Outdoor applications that require impact protection
SB5665D	Ice Blue Mirror	Black	Outdoor applications that require impact protection
SB5610D	Clear	Black	Indoor
SB5680D	Mirror	Black	Indoor / Outdoor

Right Place
Right Price



SAFETY CATALOG

Pyramex® Safety Products
Safety Glasses
Clear Frame
Solo



- Lightweight and economical, the temples are vented on this spectacle for added comfort
- Lenses provide 99% protection against harmful UV rays
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- Clear Lens Jumbo Size

Part #
S510SJ

Pyramex® Safety Products
Safety Glasses
Clear Lens - Black Temples
Defiant



- General purposes for indoor applications that require impact protection.
- Offers protection from excessive glare.
- Scratch-resistant lenses
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Temples adjust to four settings.
- Tilt type adjustment allows optimum visibility
- Jumbo size for use over prescription eyewear.
- Exceeds the ANSI Z87.1-2003 High Velocity Impact Standards.

Part #
SB1010SJ

Albuquerque, NM
(800) 432-5254

Pyramex® Safety Products
Safety Glasses
Clear Lens - Black Temples
OTS



- General purposes for indoor applications that require impact protection.
- Offers protection from excessive glare.
- Scratch-resistant lenses
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Also Available in Anti-Fog S3510STJ
- Lightweight nylon temples adjust for length and pitch
- Designed to better fit today's prescription eyewear.
- Single lens encapsulates the eye for superb protection.
- Exceeds the ANSI Z87.1-2003 High Velocity Impact Standards.
- CAN/CSA Z94.3-07
- CE EN 166 Certified

Part #	Lens Color	Application
S3510SJ	Clear	Indoor
S3580SJ	Clear	Indoor / Outdoor

Pyramex® Safety Products
Safety Glasses
Silver Frame
Zone II



- Gray lens with silver frame
- Commonly used in outdoor application
- Offers protection from excessive glare and high levels of harmful UV-A and UV-B rays
- Straight back, rubber coated temple tips
- Built in nose pads elevate frame for precision fit and weightless wear
- Exceeds ANSI Z87.1 - 2003 High Impact requirements
- SB3310E, SB3320E and SB3370E - are CE EN 166 certified

Part #
SS3320E

El Paso, TX
(800) 748-3726

Pyramex® Safety Products
Safety Glasses
Black Frame
Zone II



- Straight back, rubber coated temple tips.
- Soft nose pad and temples provide a comfortable fit
- Built in nose pads elevate frame for precision fit and weightless wear.
- Exceeds ANSI Z87.1-2003 High Impact Requirements

Indoor/Outdoor Mirror Lens:

- Commonly used where it is required to move between indoor applications to outdoor applications.
- Provides 100% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses

Part #
SB3380E

If You Can't Find It Here...

Let Us Know!

Many of the goods and services we can offer are not listed in this catalog.

Don't give up looking for hard-to-find products.

Frank's Supply is here to serve you at any time.



Farmington, NM
(800) 541-8449

**Pyramex® Safety Products
Safety Glasses
Black Frame
PMX-TORQ**



- Temples features dual injected rubber inserts for comfort.
- Wide, straight back temples provide secure fit in all conditions.
- Ventilated nose piece allows heat to dissipate from nose bridge to reduce fogging.
- Attractive, modern half-frame design. Innovative, streamline spectacle incorporates the elements of safety in trend setting eyewear.
- Meets ANSI/ISEA Z87.1-2010 High Impact Requirements

Specifications:

- Commonly used in outdoor applications.
- First class optical lens provides unrestricted vision.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.

Part #	Lens Color	Application
SB6920D	Gray	Outdoor / Glare Protection
SB6965D	Ice Blue	Outdoor / Glare Protection
SB6980D	Clear	Indoor / Outdoor Glare Protection

**Pyramex® Safety Products
Safety Glasses
PMX5050**



- Sports style frame with new Carbon Fiber Pattern.
- Unique grip pattern temples secure the glasses during any activity.
- Innovative nose piece provides ultimate comfort with non-slip features.
- Lightweight materials and design create a spectacle that weighs only 21 grams.
- Polycarbonate lens filters out 99.9% of harmful UV light.

**Pyramex® Safety Products
Safety Glasses
Black Frame
PMXTREME**



- Optimal style in safety eyewear, with clean lines and sports appeal.
- Includes black lanyard cord with rubber tips for extra security while wearing.
- Ventilated, straight-back flexible temples provide cool, pressure free fit.
- Rubber temple tips keep eyewear secure for the active worker.
- Built in rubber nose piece provides all day comfort.
- 9.0 base curve polycarbonate lens provides maximum vision protection.
- Meets ANSI Z87.1-2003 High Impact Requirements

Specifications:

- Commonly used in outdoor applications.
- First class optical lens provides unrestricted vision.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.

Part #	Lens Color	Application
SB6320SP	Gray	Outdoor / Glare Protection
SB6370SP	Silver Mirror	Indoor / Outdoor / Glare Protection

**Pyramex® Safety Products
Safety Glasses
Avante**



- Optimal style in safety eyewear, with clean lines and sports appeal.
- Lightweight sports styling contours to the face to provide maximum protection
- Built-in rubber nose pads provide comfort fit and protect against slipping
- Exceeds ANSI Z87.1-2003 High Impact Requirements

Specifications:

- Commonly used in outdoor applications.
- Offers protection from excessive glare.
- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses
- Scratch-resistant lenses
- Vented frame increases air flow to prevent fogging.

Part #	Lens Color	Application
SGM4520D	Gray	Outdoor / Glare Protection
SS4545D	Ice Orange Mirror	Outdoor / Glare Protection
SB4510DP	Clear	Indoor / Glare Protection

**The
COMPLETE
Source**

- Carbon Fiber textured cleaning case is included with each pair.
- PMX5050 is sold in Counter Display Box with 12 individually packaged spectacles.
- Exceeds ANSI/ISEA Z87.1-2010 high impact requirements.

Specifications:

- Commonly used in outdoor applications.
- First class optical lens provides unrestricted vision.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.

Part #	Lens Color	Application
SCF6820D	Gray	Outdoor / Glare Protection

SAFETY CATALOG

Pyramex® Safety Products Outlander Safety Glasses



- Sporty dual lens style with wide temples provides full eye protection against high impact.
- Soft nose piece provides comfort for extended use without slipping.
- Suitable for both working environments and sports activities.
- Meets ANSI Z87.1 High Impact Requirements

Specifications:

- First class optical lens provides unrestricted vision.
- Offers protection from excessive glare
- Provides 99% protection from harmful UV-A and UV-B rays.
- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.

Part #	Lens Color	Application
SBG8018D	Clear	Indoor
SBG8020D	Gray	Outdoor
SCM8010D	Clear	Indoor
SCM8018D	Bronze	Outdoor
SCM8020D	Gray	Outdoor
SNK8020D	Gray	Outdoor

Pyramex® Safety Products Clear Side Shield



- Slip on Side Shield
- Meets ANSI Z87.1-2003 High Impact Requirements

Part #
SS100

Pyramex® Safety Products Anti-Fog Perforated Goggle Clear



- Perforated, provides excellent ventilation
- Lenses provide 99% protection against harmful UV rays

Part #
G201T

Pyramex® Safety Products Anti-Fog Chemical Goggle Clear



- Chemical splash goggle features vent caps to restrict influx of liquids
- Lenses provide 99% protection against harmful UV rays

Part #	Color/Style
G204T	Clear

Pyramex® Safety Products Slip-On Cord for Safety Glasses



- Pyramex Slip On Rubber Tip Cord
- Model: Pyramex Safety Black Cord with Rubber Tip

Part #	Color/Style
CORDS7A	Black

Pyramex® Safety Products Lens Cleaning Towelettes



- 100 Individually packaged lens cleaning towelettes

Part #	Description
LCT100	Lens

Smith & Wesson Safety Glasses Magnum



- Classic Magnum style ergonomically dimensioned for 3 point fit - the ultimate in comfort
- 7 base cut-to-shape spherical UV BLOCKER™ lens with nose pad posts molded as one unit
- Built in hinge stops to virtually eliminate scratching of lens interior
- Improved fit ergonomic nose pad with self-adjusting rubber fingers
- Elimination of retention screws with new mechanical snap fit of lens to frame
- Packaging: 12 Box / 300 Case

Part #	Description
19793	#5 Filter Lens, Black Frame
19940	Gold Metallic Mirror Lens, Black Frame
19823KC2	Smoke Lens, Black Frame

**Quality
Prices**



**Quality
People**

**Albuquerque, NM
(800) 432-5254**

**El Paso, TX
(800) 748-3726**

**Farmington, NM
(800) 541-8449**



**Smith & Wesson
Safety Glasses**
Magnum 3G



- Ergonomically dimensioned 3 point fit for the ultimate in comfort
- Built-in hinge stops help to eliminate scratches
- Self-adjusting ergonomic rubber nose pad with rubber fingers
- Available in reduced sizes for small faces - Magnum Min

Specifications:

- APPROVAL: ANSI Z87.1-2003
- ANTI-FOG: No
- LENS TINT: Clear
- LENS MATERIAL: Polycarbonate
- FRAME COLOR: Black
- HARD-COAT: Yes
- FRAME CONSTRUCTION: Nylon

Part #	Description
19799	Black Frame, Clear Lens

**Smith & Wesson
Safety Glasses**
Code 4



- No compromise sport styling
- Scratch resistant polycarbonate lenses
- Ribbed, non-slip rubber nose cushion and contoured temple tips provide a precise fit and all day comfort
- Hinge stops to help prevent scratched lenses
- Lightweight, weighs less than an ounce
- 12 box / 300 case

Part #	Description
19836	Smoke Lenses, Black Frame
19834	Black Frame, Mirror Lens

**Smith & Wesson
Safety Glasses**
Phantom



- Futuristic, frameless design with lens, hinge, and nose pad post molded as one unit
- Precision cut-to-shape 7 base spherical lens for increased peripheral distortion-free protection
- Ribbed, non-slip rubber nose pad
- Straight back bayonet design temples eliminate mastoid bone pressure
- 12 box / 300 case

Part #	Description
19854	Silver Mirror Lens, Chrome Temples

**Smith & Wesson
Safety Glasses**
Viewmaster - Polarized



- Polarized lens offers protection from glare and reduces eye fatigue
- Ergonomically designed temples and pressure pads provide comfort
- Includes carrying pouch
- Standard package: 12

Part #	Description
19871KC2	Metallic Gray, Polarized Gray Lens

**Smith & Wesson
Safety Glasses**
Black Frame
Nemis



- Sleek, sporty style
- Soft touch temples prevents irritation
- Lightweight construction for extended wear
- Single lens wrap-around design protects periphery
- Meets ANSI Z87.1+ Impact Standard
- 99.9% UV Protection

Part #	Frame	Lens
25685	Black	Indoor / Outdoor
14481	Black	Blue Mirror

**Smith & Wesson
Safety Glasses**
Black Frame
OTG: Over The Glass



- Now available in IRUV 5.0 - ideal for grinding or cutting applications
- Stylish over the glass safety eyewear
- Fits over most prescription glasses
- Integral side shields for added protection
- Comfortable fit for extended wear
- Standard package 12
- Base Curve 4

Part #	Frame	Lens
20746KC2	Black	Clear AF
20748	Black	Indoor / Outdoor



*If you don't find everything
you need, please advise us
and we will be happy to
help you in your
requirements!*

SAFETY CATALOG

Gateway Safety Safety Glasses Scratch Resistant Starlite™



- A sleek, compact appearance and ultra-lightweight design - less than one ounce - helps increase compliance
- Unitary scratch-resistant lens has two distinct viewing areas, each with a significant curvature, delivering a wider field of vision
- Deep, universal-fit temples provide side protection equal to that of eyewear with large sideshields

Part #	Frame Color/Style	Lens Color
4680	Clear	Clear
460M	Clear	Clear Mirror
468M	Gray	Silver Mirror
469M	Gray	Blue Mirror

Gateway Safety Safety Glasses Scratch Resistant Starlite™



- Incredibly light, all-around impact protection.
- Popular design resembles sunglasses; men and women love the style, helping to ensure worker compliance.
- Economically priced to fit any budget.
- Scratch-resistant, hardcoated 100% polycarbonate lenses feature revolutionary, dual 9.75 base curvature viewing areas for wide, unobstructed vision.
- Snug and comfortable fit. Tight fit helps minimize slippage and provides full brow protection.
- Deep, universal-fit temples provide side protection equal to that of eyewear with large sideshields.
- Lens blocks more than 99.9% of UV-A and UV-B light.
- Meets or exceeds ANSI Z87.1+ standard.

Part #	Frame Color/Style	Lens Color
4478	Gray	Gray
4486	Mocha	Mocha

Gateway Safety Safety Glasses Scratch Resistant Odyssey™



- Patent-pending PolySquare™ design offers streamlined styling and powerful eye protection
- The patented, first-of-its-kind SoftFlex™ nosepiece pivots on a hinge to provide the most custom fit available
- The SoftFlex™ nosepiece features extra-soft polymer "fingertips", contributing to Odyssey's custom and comfortable fit
- Temples with flexible, rubberized tips help alleviate pressure behind the ear
- Popular, ultra-lightweight style that workers will put on and keep on — just one ounce!
- Available with Red, White, and Blue "Freedom" temples or standard matte black
- Scratch- and impact-resistant, hardcoated lens blocks more than 99.9% of UV-A and UV-B light
- Meets or exceeds ANSI Z87.1 standard CSA Z94.3 certified

Part #	Frame Color/Style	Lens Color
17GB9M	Black	Blue Mirror

MSA Plant Visitor Protective Eyewear Disposable



- Fit over prescription glasses
- Most economical model
- Integrated side shields
- Boxes of 10 in dispenser-style container
- Designed for protection against impact hazards and/or flying particles, dust, sparks and glare
- Provide excellent side and front impact protection while still being comfortable to wear
- Comply with all applicable test requirements of ANSI Z87.1-2003

Part #
10008174

MSA Goggle Retainers for Full Brim Hard Hat



- Designed to hold goggles securely on a cap or hat.
- Makes goggles conveniently available for immediate use.
- Both hat and cap styles available.
- Easy to install the goggle of your choice; no tools involved.
- Can be used on all protective headwear meeting ANSI Z89.1-2003 requirements without changing headwear's dielectric qualifications (protection against electric shock).
- Hold goggles securely on cap or hat, making goggles conveniently available for immediate use.

Part #	Description
449895	Goggle retainer for hats (less goggles)

**It's easy
to get
the best
when you
order from
the best.**



**Albuquerque, NM
(800) 432-5254**

**El Paso, TX
(800) 748-3726**

**Farmington, NM
(800) 541-8449**

Hard Hats

MSA
Protective Hard Hats
Slotted Cap
V-Gard®



- Strong, comfortable head protection
- Consist of a polyethylene shell and suspension system
- Rigid shell is lightweight and balanced for all-day wearing comfort
- Shell is one-piece injection-molded of high density polyethylene and has high dielectric strength
- Available in three sizes: Small (6"-7-1/8"), Standard (6-1/2"-8"), and Large (7-1/2"- 8-1/2")
- Choose from three suspension systems: Staz-On®, Uni-Pro® and Fas-Trac®
- Meets all applicable requirements of Z89.1-1997 (Type I, Class E and G).

Units: 20/Case

Part #	Color
STANDARD, with Fas-Trac Suspension	
475358	White
475359	Blue
475360	Yellow
475362	Green
475363	Red
STANDARD, with Uni-Pro Suspension	
463944	Yellow
463947	Red
463948	Gray
10004764	Hi-Viz Orange
10004765	Green

**SALES
RENTALS
SERVICE**

Hobbs, NM
(866) 475-8665

Protective Industrial Products
Deluxe 6151
Vented White Hard Hat
Evolution®



- High-Density Polyethylene (HDPE) shell designed with five raised channels running across the top for strength, and an extended back area for extra protection
- 6-Point polyester textile suspension system offers unrivaled comfort without compromising performance
- Unique "3D Adjustment" provides a precise fit using harness depth settings unlike any other hard hat on the US market today
- Evolution Wheel Ratchet is easy to use and creates a firm comfortable fit
- Vented to reduce inside helmet temperatures
- Chamlon™ sweatband
- Universal accessory slots accepts virtually any competitors' accessories
- Packed ready-to-wear with no installation of the suspension required
- Meets ANSI/ISEA Z89.1-2009, Type I, Class C requirements
- Also meets the ANSI requirements for Reverse Donning and Lower Temperature

Part #
280-EV6151V-10

Protective Industrial Products
Deluxe 6161
Vented Hard Hat
Evolution®



- High-Density Polyethylene (HDPE) shell with a full brim providing additional protection against sun, glare, rain and falling debris
- Extended back brim helps protect neck and ears from the sun's UV rays, as well as a run-off for rain and snow...short front

brim shades the face while allowing excellent visibility

- Brim includes finger grips on front and rear, as well as a textured underside to reduce reflection/glare
- 6-Point suspension system with polyester textile straps offers unrivaled comfort without compromising performance
- Unique "3D Adjustment" provides a precise fit using harness depth settings...unlike any other hard hat on the US market today
- Evolution Wheel Ratchet is easy to use and creates a firm comfortable fit
- Vented to reduce inside helmet temperatures
- Chamlon™ sweatband for maximum sweat absorption
- Universal slots to fit various accessories
- Packed ready-to-wear with no installation of the suspension required
- Meets ANSI/ISEA Z89.1-2009, Type I, Class C requirements

Part #
280-EV6161V-10

MSA
Protective Hard Hats
Non-Slotted Full Brim
V-Gard®




- Full-brim protection against sun, rain and glare
- Consist of a polyethylene shell and suspension system
- Rigid shell is lightweight and balanced for all-day wearing comfort
- Shell is one-piece injection-molded of high-density polyethylene and has high dielectric strength
- Available in one size - Standard (6 1/2" - 8")
- Fas-Trac® suspension
- Meets all applicable requirements of Z89.1-1997 (Type I, Class E and G)

Part #	Color
815570	Lime Green
475369	White

Los Alamos, NM
(888) 568-1100

MSA
Hard Hat Visors
V-Gard®



- MSA visors are manufactured for use on ONLY MSA frames and assemblies for compliance with ANSI Z87.1 2003

Part #	Description
10005882	Shade 5 (green)

MSA
Clear Visor PC For General Purpose
For HG-10127061
V-Gard®



- Designed for use with V-Gard Frames and V-Gard Headgear
- For many visor versions the sides are contoured towards face for a closer fit and improved resistance to impact and splash hazards
- Can be worn with helmet-mounted ear muffs
- Superior UV protection
- 2 thickness versions depending on your needs and budget
- Available with Antifog/Antiscratch coatings
- Special versions, called nitrometers to adapt V-Gard Retractable or Standard Chin Protector
- Visors with green tint (p/n 10115842 & 10115843) help alleviate eye strain and fatigue by reducing excessive glare, especially in outdoor working conditions. Not for use where a Shade Infrared (IR) visor is required.

Part #
1115836

MSA
Skullgard® Hat with Staz-On Suspension
Complete Assemblies/Lamp Bracket & Cord Holder



- Heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common
- Skullgard caps meet or exceed the applicable requirements for a Type I helmet (top impact) as outlined in ANSI Z89.1 1997, class G (electrical—low voltage) (formerly class A)

Part #	Color	Description
475407	Yellow	Hat, Skullguard, Nat, Fas-Trac suspension


MSA
Standard Slotted Hard Cap with Fas-Trac® Suspension
V-Gard®



- V-Gard Protective Caps and Hats from MSA consist of a polyethylene shell and suspension system working together as a protection system.
- V-Gard headwear features advanced styling in either cap or hat styles, with the cap available in three sizes: small (6 - 7-1/8), standard (6-1/2 - 8) and large (7 - 8-1/2).
- V-Gard Caps and Hats meet or exceed the applicable requirements for a Type I helmet (top impact) as outlined in ANSI Z89.1 1997, Class E and G

Part #	Color
495856	Light Buff

MSA
Sun Shield for V-Gard® Hat



- Extends the brim all the way around to help protect the wearer's ears and neck from the sun's rays.
- Made of polyurethane, the front portion is a smoke tinted, Lexan material.
- Product #10039114 is the sun shade assembly for the advance V-Gard® cap
- Product #697290 is the sun shade assembly for the standard V-Gard® cap, medium
- Product #697290 is the sun shade assembly for the standard V-Gard® full Brim, medium

Part #
697410
10039114
697290

Radians®
Neck Shade



- Contrasting Trim Detail.
- NFPA 701 (2004) FR Treated 100% polyester mesh.
- Fits both cap style and full brim hard hats.
- Available Colors: Hi-Viz Green, Hi-Viz Orange.
- Universal Size

Part #	Color
NSG	Green
NSO	Orange

Hard Hats Accessories

MSA
Hard Hat Faceshield Frames
Defender®



- Available in plastic and metal, cap and hat models and can be used with slotted or non-slotted helmets.

WARNING: Do not use metal foldback faceshield frame in electrical applications. Failure to follow this warning can result in serious injury or death.

Applications: Chemical, Construction, Electric Utility, Hazardous Materials, Oil and Gas, Paper & Pulp, Sanding & Grinding

Hazards: Particulate and Dust, Projectiles

Part #
488159

MSA
Hard Hat Faceshield Frames
V-Gard®



- Universal Foldback Faceshield Frames from MSA are designed to fit on any of MSA's protective caps or hats
- No Hard Hat is required with model No. 10021611 Faceshield

Part #
10021611

MSA
Hard Hat Faceshield Frames
Defender®



- Universal Foldback Faceshield Frames from MSA are designed to fit on any of MSA's protective caps or hats
- Frame
- Standard V-Gard with lockdown

Part #
10021614

Daloz Safety
Headgear for Safety Caps
Protecto-Shield® Prolok®



- Constructed of tough thermoplastic
- Heat resistant browguard
- V5N features heat resistant browguard with ratchet adjustment and sweatband
- Designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor

Part #	Description
11380048	-
11390044	Clear replacement visor, propionate

Daloz Safety
Headgear for Safety Caps
Kwik-Klip®



- V40 aluminum bracket for alpha & beta hard hat

Part #
11380029

MSA
Terri-Band Sweatbands



- Custom design fits all MSA helmets
- Washable and has plastic snaps
- 10 per package

Part #
696688

We are in touch with the world's largest and best manufacturers.



Centralize your purchases with us!



Quality Prices **FRANK'S** **Quality People**
SUPPLY COMPANY, INC.

Hobbs, NM
(866) 475-8665

FRANK'S
SUPPLY COMPANY, INC.
www.franks-supply.com

Los Alamos, NM
(888) 568-1100

SAFETY CATALOG

Head Liners

Ergodyne
Winter Liner
2-Layer Cold Series
N-Ferno™



- 2-layer Banox FR3-Cotton/Fleece (Banox FR3 lasts up to 50 washings)
- Shell: Banox FR3® Fabric
- Lining: 100% poly fleece
- Regular length

Part #
16860

Protective Industrial Products
Short Winter Head Liner



- Winter Liner
- 2 Layer Cotton Twill/Fleece
- Regular Length
- Navy Blue
- FR Treated 1 Wash
- Insulated Ear Barrier
- Silver Refl. Strip
- SIZES: One Size

Part #
363-1RL2B

**FAMILY OWNED
AND OPERATED
SINCE 1953**



**Albuquerque, NM
(800) 432-5254**

Protective Industrial Products
Shoulder Length Winter Head
Liner



- Winter Liner
- 2 Layer Cotton Twill/Fleece
- Shoulder Length
- Navy Blue
- FR Treated 1 Wash
- Insulated Ear Barrier
- Silver Refl. Strip
- SIZES: one size

Part #
363-1SL2FB

Ergodyne
Winter Liner
3-Layer Extreme Series
N-Ferno™



- 3-Layer Nylon/Foam/Fleece, single wash FR treated
- Shell: 100% quilted nylon
- Mid-Layer: Foam
- Lining: 100% poly fleece
- Shoulder length

Part #
16867

**El Paso, TX
(800) 748-3726**

Ergodyne
Winter Liner
3-Layer Extreme Series
N-Ferno™



- 3-Layer Nylon/Foam/Fleece, single wash FR treated
- Shell: 100% quilted nylon
- Mid-Layer: Foam
- Lining: 100% poly fleece
- Regular length
- One Size

Part #
16863

Ergodyne
Power Cap
with 2 LED Lights
GloWear® 8940



- Two ultra-bright LEDs in the brim; two additional LEDs concealed under the brim
- Choose two brim LEDs for illumination up to 50 ft., two under the brim lights for close-up tasks or all four for maximum visibility
- LEDs emit white light, perfect for working on color-coded projects, and have a bulb life of approximately 100,000 hours
- Four replaceable CR2032 long-life lithium batteries (included) for more than 30 hours of continuous light
- ANSI 107 Class Headwear Lime or Orange, Black, Navy or Realtree® Camo
- ANSI 107 hats are ANSI-compliant 150D oxford polyester with Mesh venting panels

Part #	Style
23272	Black
23274	Camouflage

**Farmington, NM
(800) 541-8449**

Ear Protection

MSA
Economuff™ Earmuff
(NRR-20dB)



- Comfortable ear pads ensure all-day wearing without fatigue

Part #
10004291

Radians®
Hearing Protectors

Rad-Band 23



- Earplug angle is engineered to align with ear canal for maximum sound attenuation and comfort.
- High density construction is lightweight and very durable.
- Super soft Jelli Plugs are made of FDA approved materials.
- Non-toxic, washable.
- This product is made in the USA.
- Replacement plugs available.
- NRR 23 dB

Part #
RB1100

MSA
Comfort Band™ Hearing
Protector
(NRR-23dB)



- Designed to be worn under the chin
- Made of soft, easily cleanable pods with durable plastic neck band
- Can be left resting around your neck when not in use

Part #
10003344

MSA
Reusable Silicone Ear Plugs
(NRR-25dB)

Tri-Seal™



- Reusable
- Made of soft, comfortable silicone
- Offer protection comparable to many MSA earmuffs
- Available in corded and uncorded
- Dispenser box of 200

Part #	Style
10009333	Non-corded

3M®
Foam Ear Plugs
1100



- Type: Uncorded
- Style: Disposable
- Shape: Bullet
- Size: One Size Fits All
- Noise Reduction Rating (Nrr): 29 Decibels
- Color: Orange Plug
- Material: Foam
- Packaging: 1,000 Pairs / Case

Part #	Style
50-05113829008-0	Uncorded

Radians®
Disposable Foam Earplugs
Resistor™ 32



- Tapered Bullet Shape.
- Offers a comfortable fit for virtually any ear canal.
- Extremely Soft Foam Plug.
- Provides a comfortable, low-pressure fit.
- MADE in USA (uncorded).
- PVC Dielectric Cord.
- Meets ANSI S3.19-1974 standards.
- NRR 32 dB

Part #	Style	Quantity
FP70	Uncorded	200 Per Box
FP71	Corded	100 Per Box

**Right Place
Right Price**

FRANK'S
SUPPLY COMPANY, INC.

Hobbs, NM
(866) 475-8665

FRANK'S
SUPPLY COMPANY, INC.
www.franks-supply.com

Los Alamos, NM
(888) 568-1100

SAFETY CATALOG

Respirators

MSA Advantage® 200 LS Respirators



- Lighter and softer facepiece is made of clear blue thermoplastic rubber
- AnthroCurve™ Sealing Surface instantly conforms to each wear's unique facial characteristics
- MultiFlex® system equalizes pressure on the face-seal area, while delivering exceptional stability, so the respirator will not collapse during wear
- Two-piece neckstrap
- The Advantage Respirator Cartridges provide lightweight, low-profile protection from organic vapors
- P100 Flexi-Filter® Pads fit well under a welding hood

Part #	Description
815692	Medium Half-Mask Facepiece
815700	Large Half-Mask Facepiece
815355	(2) GMA Cartridges
815392	N95 Prefilter covers - Pkg of 2
815394	N95 Prefilters - Pkg of 10

Daloz Safety Disposable Respirators



- Nose bridge provides the wearer increased comfort and fit
- Lightweight, humidity-resistant, latex-free filter media for lower breathing resistance:
 - 60% improvement in measured fit factors*
 - 42% lower exhalation breathing resistance*
 - 34% lower inhalation breathing resistance*
- Options include: boomerang nose seal, full sealing flange, exhalation valve
- NIOSH-approved N95, N99, P95, and P100 protection
- N95 with boomerang nose seal and exhalation valve

*Over previous Willson SAF-T-FIT line.

Part #	Size
14110394	Medium/Large

Gloves

CLC® Nitrile Disposable Gloves Non-Powdered Work Gloves



- Non-Powdered.
- 4 mil. industrial grade.
- Rolled cuff.
- Nitrile.
- 100 gloves per box.
- Sizes: S, M, L, XL.

Part #	Size	Qty per Box
2322S	Small	100
2322M	Medium	100
2322L	Large	100
2322XL	XLarge	100

Protective Industrial Products Disposable Nitrile Gloves Powdered with Textured Grip



- Nitrile
- Industrial Grade
- Textured Grip
- 8 mil.
- Powdered
- 50 Gloves per Box
- SIZES: S - XL
- PACKED: 20/Case

Part #	Size
63-338L	L
63-338XL	XL

Boss® Split Leather Palm Gloves



- Side split leather palm, leather index finger, leather tips, leather knuckle strap and pull, wing thumb
- Blue cotton back
- Rubberized safety cuff
- Sizes: Small, Medium and Large

Part #	Size
1JL4095U-S	Small

CLC® Safety Cuff Gloves



- Economy split leather palm
- Rubberized cuff
- Sold in bulk (12 prs/pack-no headers)

Part #
2046B

CLC® Leather Palm Gloves With 4-1/2" Safety Cuff



- Split cowhide leather palm
- 4-1/2" extended gauntlet safety cuff
- Rubberized cuff
- Size: Large

Part #
2048L

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

CLC®
Brown Cotton Jersey Gloves



- Heavy weight brown jersey
- 100% cotton
- Sold in bulk (12 prs/pack-no headers)

Part #	Size
2018B	One Size Fits Most

CLC®
Brown Jersey Gloves
Fleece Lined



- Brown jersey with red lining
- Gunn cut design
- Open cuff

Part #	Size
2015	One Size Fits Most

CLC®
Latex Dip Gloves



- Cotton/polyester knit shell
- Natural latex rubber dip palm
- Elasticized wrist

Part #	Size
2030L	Large

CLC®
Driver Gloves
Winter Split Cowhide



- Premium split cowhide lined driver
- Gunn cut design
- 3M Thinsulate™ Insulation, G80 gram

Part #	Size
2056L	Large
2056X	X-Large

CLC®
XX-Large Leather Driver
Glove
Work Gloves



- Split cowhide leather palm patch work gloves.
- Keystone thumb.
- Shirred wrist with leather binding.
- Gunn cut.
- Sizes: S, M, L, XL, XXL.

Part #
2053XX

CLC®
Cowhide Driver
Top Grain



- Top grain cowhide
- Keystone thumb with palm patch
- Shirred wrist with leather binding
- Sizes: Small, Medium, Large and X-Large

Part #	Size
2053S	Small
2053M	Medium
2053L	Large
2053X	X-Large



THE COMPLETE SOURCE

Setting the Standard
FRANK'S
SUPPLY COMPANY, INC.
in Quality Equipment

SAFETY CATALOG

Protective Industrial Products Unlined Leather Driver's Gloves Shirred Elastic Back, Wing Thumb



- Top Grain Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Top Grain leather is smooth, provides durability and dexterity
- Stitched with Kevlar® adding strength and burn resistance
- Drivers gloves feature slip-on styling to provide good fit and comfort
- Wing thumb increases comfort in open-handed work
- Elastic closure sewn inside glove for safety and comfort
- Cotton color binding denotes sizing

SPECIFICATIONS:

- Top Grain Cowhide Drivers
- Wing Thumb
- Sewn with Kevlar
- 10 Dozen/Case

Part #	Size
68-116M	Medium
68-116L	Large
68-116XL	X-Large

CLC® Cowhide Driver Top Grain



- Premium top grain cowhide
- Keystone thumb with palm patch
- Hook and loop wrist closure

Part #	Size
2058M	Medium
2058L	Large
2058XL	X-Large

Albuquerque, NM
(800) 432-5254

Tillman™ Cowhide Driver



- One of our most popular drivers style gloves. Great feel and overall value.
- A Top grain pearl Cowhide palm, bourbon Cowhide split leather back.
- Unlined.
- A Keystone thumb.
- Double stitching on forefinger provides extra strength.
- Also available in economy version without rolled cuff, item #1416.

Part #	Size
1414L	Large
1414M	Medium

Protective Industrial Products Cowhide Driver Gloves



- Top grain cowhide leather drivers glove, straight thumb, quality grade.
- All leather top grain cowhide construction.
- Excellent dexterity and abrasion resistance.
- Consistent grading and superior workmanship.
- Cotton color binding denotes sizes.

Applications:

- Used in construction, machine operation, light duty welding, utility work, farming, roping and many other general applications.

Part #	Size
68-101/XS	X-Small

El Paso, TX
(800) 748-3726

CLC® Top Grain Deerskin Driver Work Gloves Winter Gloves



- Premium top grain deerskin driver work gloves.
- Keystone thumb.
- 3M® Thinsulate™ insulation, G80 gram.
- Gunn-cut palm design.
- Sizes: M, L, XL.

Part #
2079X

CLC® Suede Leather Lined Glove Winter Gloves



- Premium split cowhide insulated driver work gloves.
- Gunn cut design.
- 3M® Thinsulate™ insulation, G80 gram.
- Keystone thumb.
- Sizes: M, L, XL.

Part #
2056M

**FAMILY OWNED
AND OPERATED
SINCE 1953**



Farmington, NM
(800) 541-8449

**CLC®
Leather 3M Thinsulated Lined
Winter Gloves**



- Premium split cowhide insulated driver work gloves.
- Gunn cut design.
- 3M® Thinsulate™ insulation, G80 gram.
- Keystone thumb.
- Sizes: M, L, XL.

Part #	Size
2059M	M
2059L	L
2059XL	XL

**Yellowstone Gloves
Welder Gloves
Full Grain Deerskin**



- Medium weight
- Gold color
- Self-hemmed cuff
- Elastic wrist
- Seamless Palm & Seamless Back

Part #	Size
498-D-8	Small
498-D-9	Medium
498-D-10	Large

**Yellowstone Gloves
Full Grain Elkskin Gloves**



- Heavy Weight
- Gold Color
- Bound Cuff
- Outseam construction on back
- Elastic Wrist
- Half sizes 7-12

Part #	Size
549-E-SM	Small
549-E-LG	Large
549-E-XL	XLarge

**Revco Industries
Premium Pigskin/Cowhide
MIG Gloves
BSX®**



- Resilient soft grain pigskin with lining for enhanced comfort and dexterity
- Durable split cowhide back
- Padded palm for gun-holding comfort
- DragPatch® and RestPatch side comfort
- Stitched with flame-resistant Kevlar
- Size: S-2XL

Part #	Size
BM88-LG	Large

**CLC®
PVC Gloves
Knit Wrist**



- Double dipped, fully coated black PVC
- 2080L - Smooth finish PVC, Actifresh® cotton jersey liner *, Knit wrist
- 1SP8714 - black, interlock lined, 14" long, smooth grip
- Size: 14"

Part #
2080L

**Boss®
Cotton Gloves**



- 16 oz., 2 ply, 100% cotton
- Bedford Cord
- Nap in, clute-cut design
- Red knit wrist
- Size: Large

Part #
30MI

**CLC®
Knit Gloves with PVC Dots**



- Cotton/polyester knit
- Elasticized wrist
- Size: One size fits most

Part #	PVC Dots
2006	On Palm
2005	On Both Sides

**Family Owned and Operated
Since 1953**

**Hobbs, NM
(866) 475-8665**

FRANK'S
SUPPLY COMPANY, INC.
www.franks-supply.com

**Los Alamos, NM
(888) 568-1100**

CLC®
Economy String Knit Glove
Liner



- Cotton/polyester knit
- Wear on either hand
- Elasticized wrist

Part #	Size
2010	One Size Fits Most

CLC®
Economy String Knit Gripper



- Economy knit shell
- Latex dip palm
- Elasticized wrist

Part #	Size
2029L	Large

Tillman™
Performance Gloves
TrueFit™



- TrueFit™ gloves are great for any application where fit, comfort and protection are paramount
- Back color: Black
- Palm color: Pearl
- Leather: Goatskin

CONTINUED ON NEXT COLUMN

Albuquerque, NM
(800) 432-5254

Here are a few possible uses:

- Warehouse Handling
- Forklift Driving
- General Maintenance Work
- Power Tool Handling
- Delivery Work

Part #	Size
1470S	Small
1470M	Medium
1470L	Large
1470XL	X-Large
1470XXL	XX-Large

Tillman™
Performance Gloves
TrueFit™



- Blue and pearl gray winter version of our TrueFit™ glove. All the comfort of TrueFit™ with the added warmth of 3M Thinsulate™.
- Naturally moisture resistant top grain pigskin with Thinsulate™ winter lining.
- Spandex back for precision fit.
- Leather and spandex design will outlast and outperform all-synthetic high dexterity gloves.
- Rough side out double palm for longer life and better gripping power.
- Reinforced thumb to protect severe stress areas.
- Smooth surface fingers for improved handling.
- Elastic cuff with hook and loop closure provides secure fit, less bulk.
- Top grain leather side bolsters add additional protection for side surface work.
- All finger tips covered in leather for heavy wear area protection.

Part #	Size
1485M	Medium
1485L	Large
1485XL	X-Large

El Paso, TX
(800) 748-3726

Tillman™
Cowhide Driver
Blue Wool - Side Split



- Aluminized Wool lining adds additional level of heat protection
- Premium blue Side split Cowhide
- Aluminized Wool lining for added heat protection
- Double reinforced thumb for key wear areas
- A Kevlar® stitching and welted thumbs for added strength and heat protection

Part #	Size
1265	Large

Radians®
Textured Rubber Coated
Gripper Glove



- Textured palm for extra grip - wet or dry.
- Breathable knit back for a comfortable fit in hot weather.
- Ergonomically designed for superior fit and feel.
- Seamless fit provides maximum flexibility and high dexterity.

Part #	Size
DPG70L	Large
DPG70XL	X-Large

SALES
RENTALS
SERVICE

Farmington, NM
(800) 541-8449

Revco
Standard Reinforced
Mechanic's Gloves
Synthetic Leather
FlexHand™ FX



- Synthetic leather palm with spandex back for a snug fit
- Reinforced palm
- Secure wrist strap style

Part #	Size
19FX-BLK-S	Small
19FX-BLK-M	Medium
19FX-BLK-L	Large
19FX-BLK-XL	X-Large

Mechanix Wear®
Original Gloves
Professional Mechanix



- Re-designed finger tip pattern reduces seams and enhances finger tip sensitivity
- Lycra® panels between fingers for added comfort and mobility
- Narrower elastic cuff for added comfort
- Ultra-thin TPR (Thermal Plastic Rubber) pull-tab with hook and loop closure provides comfort and adjustability
- Supple, breathable, durable Clarino® palm provides firm grip
- Dual-layered fingertips and thumb for reduced wear and increased protection
- Two-way stretch Spandex padded top features form-fitting elasticity
- Smooth surface thumb and index finger point of contact, improves handling

CONTINUED ON NEXT COLUMN

- Concealed interior seam stitching prevents snagging
- Index finger knuckle reinforcement band for added strength and protection

Part #	Size/Color
MG-05-006	X-Small/6 Black
MG-05-008	Small/8
MG-05-009	Medium/9
MG-05-010	Large/10 Black
MG-05-011	X-Large/11 Black
MG-05-012	XX-Large/12 Black

Mechanix Wear®
M-Pact Gloves
Multi-Purpose



- Re-designed finger tip pattern reduces seams and enhances finger tip sensitivity
- Lycra panels between fingers add comfort and mobility
- Embossed Airprene knuckle panel for greater mobility, comfort and protection
- PR (Thermal Plastic Rubber) top provides pliable layer of flexible protection
- Synthetic leather palm features EVA foam padding, overlaid with new anatomically shaped synthetic leather top layer
- Narrower elastic cuff for added comfort
- Ultra-thin TPR pull-tab with hook and loop closure provides comfort and adjustability
- Reinforced finger bands resist impact in high exposure areas
- Secondary foam padding covers inner index finger and thumb for added protection in high-wear impact areas
- Padded two-way ribbed Spandex top and fingertips stretch for greater mobility
- Concealed interior seam stitching prevents snagging

Part #	Size/ Color
MPT-58-008	Small / 8 Black
MPT-58-009	Medium / 9 Black
MPT-58-010	Large / 10 Black
MPT-58-011	X-Large / 11 Black
MPT-58-012	XX-Large / 12 Black

Mechanix Wear®
M-Pact® 2 Gloves
Multi-Purpose



- For super protection and an unbelievable fit, try our M-Pact 2 Glove.
- Anatomically designed with advanced features that include tapered stretch side panels that form comfortably between fingers and a molded Neoprene cuff for a seamless fit to your wrist.
- We've also covered you by integrating impact absorbing molded rubber finger protection and EVA deep ribbed accordion knuckle protection.
- This glove has it all. Imported

Part #	Size/ Color
MP2-03-010	Large / 10 Blue
MP2-03-011	X-Large / 11 Blue
MP2-03-012	XX-Large / 12 Blue

If You Can't Find It Here...

Let Us Know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for hard-to-find products.

Frank's Supply is here to serve you at any time.



SAFETY CATALOG

Mechanix Wear® Pro-Fit™ Series 3.0 Gloves Black



- Easy entry, Airprene™ cuff provides comfort
- Molded TPR (Thermal Plastic Rubber), with hook and loop closure, secures fit.
- Two-way, form-fitting, mesh top, with stretch Tricot lining, stretches, increasing comfort, fit and breathability.
- Anatomically designed TPR molded rib pattern provides pliable layer of flexible protection on back of hand and fingertips
- ProFit™ stretch panel, allows extra flexibility between top of hand and thumb.
- PVC Silicone areas on thumb and fingers aid in handling of tools and act as anti-slip patches.
- Dura-fit™ synthetic leather palm offers maximum comfort, durability and breathes like leather.
- Two-piece, EVA foam-padded, anatomically designed palm protects against impact.
- Heavy-duty, Stretch-Tech panels in between fingers provide flexibility and breathability.
- Thermal Plastic Rubber (TPR) pull-tab with molded grips, at wrist, assists with easy hand entry.

Part #	Size
H30-05-008	Small
H30-05-009	Medium
H30-05-010	Large

**IF YOU DON'T FIND EVERYTHING
YOU NEED, PLEASE ADVISE US
AND WE WILL BE HAPPY TO
HELP YOU IN YOUR
REQUIREMENTS!**



**Albuquerque, NM
(800) 432-5254**

Mechanix Wear® CG Utility Gloves



- Comfortable and durable 2-way stretch spandex ensures that perfect Mechanix Wear® fit
- Lycra® inset panels between fingers allow free movement and prevent bunching
- Concealed interior stitching greatly improves comfort and durability
- Now Clarino® MWX-2 synthetic leather is used throughout to maximize durability, breathability and comfort

Part #	Size
CG-15-75-009	Medium
CG-15-75-010	Large
CG-15-75-011	X-Large

Revco Industries Extreme Duty Mechanic's Gloves ToolHandz®



- ToolHandz® synthetic leather palm with spandex back
- Reinforced palm, thumb, and index
- Teflon® coated reinforcements and PVC dots repel oil & improve grip
- Maximum guards with superior flex
- Ventilated neoprene impact layer
- Tested: ASTM F1790-05 (backside), ASTM D3884-09, and ASTM D2632
- Size: M-2XL

Part #	Size
GX105-LG	Large

**El Paso, TX
(800) 748-3726**

CLC® Mossy Oak Back Country Camo Gloves Hi-Dexterity Sportsman



- Syntex™ synthetic palm material for increased abrasion and tear resistance.
- Textured fingertip pads provide added abrasion resistance.
- Padded palm, fingers and knuckles provide protection against bumps.
- Stretch spandex back for comfort and flexibility.
- Textured, reinforced fingertip pads for increased abrasion.
- Sizes: M, L, XL.

Part #	Size
M125M	Medium
M125L	Large

Mechanix Wear® CG Framer Gloves Padded Palm



- Double density palm padding for pressure points
- Reinforced thumb, index, middle and ring fingers with embossed leather grip
- Leather finger walls provide protection and added durability
- Padding and integrated ribbing for top of hand provide protection against abrasion and impact
- Mesh knuckle and wrist cuff with hook-and-loop closure allow comfortable range of motion
- goatskin leather for high-wear areas
- Clarino® MWX-2 synthetic leather construction provides maximum durability, breathability and comfort

Part #	Size
CG-25-75-009	Medium
CG-25-75-010	Large
CG-25-75-011	X-Large

**Farmington, NM
(800) 541-8449**

Mechanix Wear®
CG Framer Gloves



- Fingerless index and middle finger provide sensitivity and dexterity when handling nails and small items
- Leather finger panels and double-layer leather fingertip protection for ring finger and pinky protect against abrasions and impact
- Anatomically cut padded leather palm protects against abrasion and fatigue while allowing maximum grip and mobility
- Clarino® MWX-2 synthetic leather construction used throughout for durability, breathability and comfort
- Padded top and mesh cuff provide safety and ensure comfort in hot, humid conditions
- Hook-and-loop closure allows comfortable range of motion using tools and wearing a watch

Part #	Size
CG-27-75-009	Medium
CG-27-75-010	Large
CG-27-75-011	X-Large

**It's easy
to get
the best
when you
order from
the best.**



Hobbs, NM
(866) 475-8665

Mechanix Wear®
CG Impact-Pro Gloves



- Flexible molded rubber ribbing on top of hand and knuckles supports and protects hands
- Double-density palm padding relieves pressure points
- Clarino® MWX-2 synthetic leather construction maximizes durability, breathability and comfort
- Goatskin leather added to high wear areas
- Leather protection in thumb, finger and palm areas
- Double-layer leather protection for thumb, index, middle and ring fingers
- Embossed, molded neoprene wrist closure
- Hook-and-loop closure allows comfortable range of motion using tools and wearing a watch

Part #	Size
CG-30-75-008	Small
CG-30-75-009	Medium
CG-30-75-010	Large
CG-30-75-011	X-Large

Mechanix Wear®
CG Impact-Pro Gloves
Super Duty Series



- The molded Neoprene® wrist closure conforms to your wrist better providing a comfortable secure fit
 - Designed with a low profile wrist cuff that utilizes a hook and loop closure that allows for a comfortable, full range of motion while using tools or wearing a watch
 - Clarino® MWX-2 synthetic leather is used throughout the glove to maximize durability, breath ability and comfort
- CONTINUED ON NEXT COLUMN

- Genuine leather goat skin, is added to high wear areas to reinforce the gloves, granting superior durability and an improved grip
- Incorporates Lycra® insert panels between the fingers that allow for free movement and eliminates bunching
- Constructed with a durable concealed interior stitching that eliminates potential snags and allows for added comfort
- All the Finger walls are reinforced with genuine leather for added protection and increased durability
- Each glove incorporates a multi-zone double layer leather palm that offers increased protection to vulnerable pressure points while reducing overall wear to the glove
- The top of the gloves have padded leather knuckle protection combined with a flexible molded rubber ribbing that provides protection from abrasions and impacts to the top of the hand

Part #	Size
CG40-75-008	Small
CG40-75-009	Medium
CG40-75-010	Large
CG40-75-011	X-Large
CG40-75-012	XX-Large

Mechanix Wear®
Impact Moss Mechanic Glove



- Flexible molded rubber exoskeleton protects the top of your hand from impact and abrasion.
- Additional Material4x™ reinforces your knuckle, finger and palm creating extremely durable high-wear in and abrasion prone areas.
- When the toughest job calls for the toughest gloves, feel safe knowing this is the glove built for extreme protection.

Part #	Size
CG4M-29-009	Medium
CG4M-29-010	Large
CG4M-29-011	X-Large

Los Alamos, NM
(888) 568-1100

SAFETY CATALOG

Mechanix Wear® Full Leather Mechanic Gloves



- Full leather palm and fingers provide extreme durability
- Multi-zone padded palm reduces hand fatigue from shock and vibration
- Dual layer thumb, index, and middle fingertip panels for extra durability
- Thermal Plastic Rubber (TPR) protects your knuckles, fingers, and metacarpals from impact
- Low profile cuff for full range of motion
- Machine washable leather

Part #	Size
CG50-75-008	Small
CG50-75-009	Medium
CG50-75-010	Large
CG50-75-011	X-Large
CG50-75-012	XX-Large

Mechanix Wear® Summer 2 Pack Medium Original Fast Fit



- 2 Pack The Original™ and the FastFit.
- TPR Closure with a hook and loop provides a secure fit.
- Reinforcement panels in high wear areas for increase durability
- Clarino synthetic leather meets two way stretch spandex for the ultimate in comfort and dexterity.
- Snug fitting cuff keeps glove in place while offering easy on and off flexibility.
- Two piece palm for comfortable fit.

Part #	Size
MBP-MG-009	Medium
MBP-MG-010	Large
MBP-MG-011	X-Large

Albuquerque, NM
(800) 432-5254

Mechanix Wear® Zone 2 Cold Weather Glove



- Comfortable and durable 2-way stretch fleece ensures that perfect Mechanix Wear fit
- Concealed interior stitching greatly improves comfort and durability
- Our specially designed wind resistant lining keeps cold and cutting wind at bay while maintaining the flexibility and breath ability of the glove
- A snug fit improves hand dexterity and gives this glove a secure and comfortable feel
- For working conditions down to 0 degrees

Part #	Size
MCW2-08-008	Small

Mechanix Wear® Winter Armor Glove



- Accordion knuckle with EVA foam padding protects against impacts
- Nylon shell with a wind-resistant lining protects against the elements
- Rubberized palm material with secondary rubberized panels for grip and durability
- Rubberized reinforcement panels for increased durability
- Hook-and-loop closure for a secure fit

Part #	Size
MCW-WA-009	Medium
MCW-WA-010	Large
MCW-WA-011	X-Large

El Paso, TX
(800) 748-3726

Mechanix Wear® Mechanix Fast Fit Gloves



- Elastic cuff provides easy on/off flexibility
- Durable and dexterous synthetic leather palm
- TrekDry® material top helps keep hands dry and comfortable
- Anatomically designed two-piece palm eliminates material bunching for a snug fit
- Machine washable

Part #	Color	Size
MFF-05-009	Black	Medium
MFF-05-010	Black	Large
MFF-05-011	Black	X-Large

Mechanix Wear® Original Material 4X Gloves



- Stretch spandex material ensures a comfortable fit
- TPR closure with hook and loop provides a secure fit
- Reinforcement panels in high wear areas for increased durability
- Material 4X offers superior wear, higher abrasion resistance and greater puncture resistance than leather

Part #	Size
MG4X-75-09	Medium
MG4X-75-10	Large
MG4X-75-11	X-Large
MG4X-75-12	XX-Large

Farmington, NM
(800) 541-8449

**Mechanix Wear®
Original Covert Glove**



- Innovative, wrap-around rubber molded wrist closure forms better to wrist and improves comfort
- High dexterity fingertips and two-ply thumb reduces wear and increases protection
- Uniquely ribbed 2-way stretch spandex top increases stretch and flexibility for an even better fit
- Machine washable
- MFG Brand Name: Mechanix Wear

Part #	Size
MG-55-008	Small
MG-55-009	Medium
MG-55-010	Large
MG-55-011	X-Large

**Mechanix Wear®
Grip Glove**



- Palm: Simulated Leather
- Dual-layered Silicone palm with circular print pattern affords maximum grip on slippery surfaces
- Synthetic leather fingertip reinforcements provide strength and protection
- Two-way stretch Spandex padded back ensures a proper fit every time
- Two-ply fingertips and thumb reduce wear and increase protection
- Streamlined elastic cuff with hook and loop closure ensures that debris doesn't enter glove

Part #	Size
MGG-05-011	X-Large

**Mechanix Wear®
M-Pact II Glove**



- Palm: Simulated Leather
- Used by more professionals that demand the extra protection
- Heavy-duty work horse glove that offers excellent grip and protection
- Double-layer synthetic leather palm with anatomically die-cut foam padded top for comfort and protection
- Spandex stretch wrist panel provides maximum adjustability, machine washable
- Thermal plastic rubber protection on fingers and top of glove for added protection

Part #	Size	Color
MP2-03-009	Medium	Blue

**Mechanix Wear®
M-Pact 3 Knuckle Protection**



- Palm: Simulated Leather
- Molded Kevlar knuckle shell shields impacts for optimum protection
- Heavy Duty stretch panel for added flexibility
- Anatomically shaped, die-cut, multi-layer synthetic leather palm with EVA interior foam padding
- Padded, rubberized sure grip palm heel material added for extra protection
- Finger and thumb grippers are made from non-slip rubberized sure grip material, improving grip and control

Part #	Size
MP3-05-008	Small
MP3-05-009	Medium
MP3-05-010	Large
MP3-05-011	X-Large

**Mechanix Wear®
M-Pact Gloves
Black and Red**



- Impact Guard protects first knuckle with EVA foam covered by rubberized grip material TPR (Thermal Plastic Rubber) on the knuckle and fingers protects against impacts
- Trek Dry stretch fabric on the back of the hand provides ventilation and wicks moisture
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit
- Rubberized tacky grip material on the thumb and index finger provides extra gripping power
- Second layer of material in high wear areas
- Second layer of material with 2mm of Poron XRD for impact and vibration absorption
- Durable synthetic leather palm

Intended Uses:

- Tactical/Special Operations
- Shooting
- Mechanic's work
- Heavy equipment maintenance an(more...)

Part #	Size
MPT-52-008	Small
MPT-52-009	Medium
MPT-52-010	Large

**SAVE
\$\$\$
WITH
FRANK'S
SUPPLY COMPANY, INC.**

SAFETY CATALOG

Mechanix Wear® M-Pact Gloves - Covert



- Impact Guard protects first knuckle with EVA foam covered by rubberized grip material TPR (Thermal Plastic Rubber) on the knuckle and fingers protects against impacts
- Trek Dry stretch fabric on the back of the hand provides ventilation and wicks moisture
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit
- Rubberized tacky grip material on the thumb and index finger provides extra gripping power
- Second layer of material in high wear areas
- Second layer of material with 2mm of Poron XRD for impact and vibration absorption
- Durable synthetic leather palm

Intended Uses:

- Tactical/Special Operations
- Shooting
- Mechanic's work
- Heavy equipment maintenance an(more...)

Part #	Size
MPT-55-010	Large
MPT-55-011	X-Large
MPT-55-012	XX-Large

Mechanix Wear® MRT 0.5 M-Pact



- 5mm high dexterity synthetic leather fingers for maximum dexterity.
- Thermal Plastic Rubber (TPR) honeycomb exoskeleton for complete impact protection.
- EVA foam palm padding for comfort.
- Machine Washable.

Intended Uses:

- Multipurpose
- Automotive maintenance & repair
- Heavy equipment operation

Part #	Size
MRT-P5-010	Large
MRT-P5-011	X-Large

Albuquerque, NM
(800) 432-5254

Ergodyne Thermal Waterproof Utility Glove ProFlex®



- 40 grams of Thinsulate™ Insulation from 3M
- Hipora® water & windproof, breathable liner
- Low-profile closure with woven elastic cuff
- Double reinforced Amara palm
- Padded spandex back and neoprene knuckle pad
- Terry thumb brow wipe

Part #	Size
16022	Small
16023	Medium
16024	Large
16025	X-Large
16026	XX-Large

Ergodyne Thermal Waterproof Utility Glove with Gauntlet ProFlex®



- 40 grams of Thinsulate™ Insulation from 3M
- Hipora® breathable waterproof & windproof liner
- 500D nylon back and gauntlet cuff
- PVC-reinforced palm, fingers and saddle
- Gathered wrist and reinforced fingertips
- Pull tab for easy on and off
- EVA knuckle pad with reflective dots
- Terry thumb brow wipe

Part #	Size
16042	Small
16043	Medium
16044	Large
16045	X-Large

El Paso, TX
(800) 748-3726

Ergodyne Thermal Flip-Top Gloves ProFlex®



- Thermal Flip-Top: Converts from mitten to fingerless glove for cold weather detail work
- Flip-top fingers and thumb secured open with hook & loop tabs
- Durable polyester knit outside
- Windproof, water repellent micro fleece inside
- Double layer palm with synthetic suede anti-slip grip
- Soft, polyester fleece cuff

Part #	Size
16072	Small
16073	Medium
16074	Large
16075	X-Large

Ergodyne Hi-Vis Thermal Waterproof Gloves ProFlex®



- Hi-Vis Thermal Waterproof: Ultimate cold weather glove. 3M™ Thinsulate™ and Hipora® liner.
- Hi-vis, breathable stretch spandex back
- 40g 3M™ Thinsulate™ lining throughout
- Hipora® breathable waterproof & windproof liner
- 3M™ reflective tape zones on back and wrist
- Abrasion resistant, textured PVC on palm and fingers
- Amara synthetic leather palm and fingers
- Breathable neoprene cuff with low-profile closure
- Terry thumb brow wipe

Part #	Size
16412	Small
16413	Medium
16414	Large
16415	X-Large

Farmington, NM
(800) 541-8449

Ergodyne
Finger Trades Gloves

ProFlex® 712



- Visco-elastic gel polymer palm pad to dampen shock and impact
- Abrasion resistant, textured PVC on palm and fingers
- Breathable, 3-layer stretch spandex with neoprene knuckle pad
- Synthetic leather palm and fingers
- Flex zones for added comfort
- Terry thumb brow wipe
- 3/4-finger design

Part #	Size
16174	Large

Protective Industrial Products
Coated Gloves Made with
Dyneema®
Cut Resistant Level 3
Great White®



- GREAT WHITE® Dyneema®/Nylon/Spandex white seamless shell, 13 gauge, gray polyurethane coated palm and fingers.
- Washable, resistant to chemicals, water and ultraviolet light.
- Seamless construction.
- Gray polyurethane coated grip for superior puncture and abrasion resistance.
- Color coded hems for easy size identification.
- Silicone-free.
- Dyneema® is a brand of polyethylene fibers that are 10 to 15 times stronger than steel, more durable than polyester and a strength that is 40% greater than aramid fiber.

CONTINUED ON NEXT COLUMN

Applications:

- Used for electronics, glass cutting, sheet metal handling, general duty, parts assembly and construction.

Part #	Size
19-D622L	Large
19-D622M	Medium
19-D622XL	X-Large

Protective Industrial Products
Seamless Knits for General
Duty by ATG®
Nitrile Dotted Palm
Maxiflex™



- MaxiFlex® Endurance by ATG®, nitrile dotted palm, black micro-foam nitrile coated palm & finger tips, 15 gauge gray seamless knit nylon liner.
- Incorporate unique NiriDot technology on palm for excellent grip
- Ultra cool and very comfortable to wear, breathable coating
keeps hands cool and dry
- Excellent dexterity, sensitivity and tactility
- Designed to produce minimal lint and dust
- Excellent dry grip
- Minimal penetration (strike through) keeps the liner soft on the inside of the glove

Applications:

- Used in applications which require a high degree of dexterity and sensitivity, especially where grip is important, such as handling small oily parts and components, general assembly, machining, micro-engineering, automotive components, painting, horticulture

Part #	Size
34-844M	Medium
34-844L	Large
34-844XL	X-Large

Protective Industrial Products
Seamless Knits for General
Duty
Maxiflex™



- MaxiFlex® Ultimate by ATG®, black micro-foam nitrile coated palm & finger tips, 15 gauge gray seamless knit nylon with Lycra® liner.
- Ultra cool and very comfortable to wear, breathable coating
keeps hands cool and dry
- Excellent dexterity, sensitivity and tactility
- Designed to produce minimal lint and dust
- Minimal penetration (strike through) keeps the liner soft on the inside of the glove
- Silicone free.

Applications:

- Used in applications which require a high degree of dexterity and sensitivity, especially where grip is important, such as handling small oily parts and components, general assembly, machining, micro-engineering, automotive components, painting, horticulture.

Part #	Size
34-874/S	Small
34-874/M	Medium
34-874/L	Large
34-874/XL	X-Large

**We are in touch
with the world's
largest and best
manufacturers.**



**Centralize your
purchases with us!**



Protective Industrial Products Cut Protection in Oily Environments Cut Resistant Level 3



- Micro-Foam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Knit Wrist helps prevent dirt and debris from entering the glove
- Innovative Fibers - Unique high performance yarns and fibers that offer cut protection while maintaining high levels of comfort
- Reinforcement - Between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area
- 360° Breathability - Patented micro-foam nitrile coating offers 360° breathability making it the most breathable cut resistant glove on the market
- Form, Fit and Feel - Mimics the "hand at rest", reducing hand fatigue and increasing comfort
- Latest Knitting Technology - Utilized to produce smooth and rounded fingertips, improving fingertip sensitivity
- Consistent Liner Penetration - From the nitrile, leaving only the soft liner resting against the skin
- Optimized Grip - Delivered through our micro-cup finish, allows for a controlled grip
- All ingredients used in the manufacturing and construction of this product are compliant with the REACH legislation
- This glove has been laundered prior to final packaging making it clean and safe for use
- The Oeko-Tex® Association has evaluated and certified this product as skin safe from the second it comes into contact with the skin
- The Skin Health Alliance has awarded professional dermatological accreditation following review of the scientific dossier behind this product

Part #	Size
18-570/M	Medium
18-570/L	Large
18-570/XL	X Large

Protective Industrial Products Touch Gray Glove Urethane Coated Polyester G-Tek®



- MaxiFlex® Cut by ATG®
- Premium Black Micro-Foam Nitrile coated palm
- Green Engineered Yarn Shell
- Reinforced Thumb Crotch
- EN Cut Level 3
- SIZES: XS - XXL

Part #	Size
34-8743/S	Small
34-8743/M	Medium
34-8743/L	Large
34-8743/XL	X Large

Protective Industrial Products Touch Gray Glove Urethane Coated Polyester G-Tek®



- Static wired thumb, index finger and middle finger allows user to operate touch screen phone or device without removing gloves
 - Seamless knit polyester for great dexterity
 - Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity
 - Breathable back for comfort
 - Pair packed for ease of distribution
 - G-Tek® Touch
 - Gray Urethane Coated Palm and Fingers
 - Gray Seamless Knit Polyester
 - Static Wired Thumb
 - Index & Middle Fingers
- CONTINUED ON NEXT COLUMN

Applications:

- Electronic and computer assembly
- Quality control
- Inspection
- General assembly
- Touch screen devices

Part #	Size
33-GT125S	Small
33-GT125M	Medium
33-GT125L	Large

Protective Industrial Products Hi-Vis Acrylic Glove, Latex MicroFinish Power Grip



- Seamless construction for a comfortable fit
- Acrylic gloves provide economical cold weather protection
- Latex "MicroFinish" coating provides a superior grip in dry, wet and oily conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled
- Knit wrist helps prevent dirt and debris from entering the glove
- Hi-Vis coloring makes this product very easy to see
- Excellent thermal insulation
- Quickly evaporates moisture from the skin
- Extra softness for non-chafing comfort
- Launderable for extended life and to reduce replacement costs
- Cotton color binding denotes sizing
- Hi-Vis Orange Acrylic Terry Shell
- Brown MicroFinish Grip

Part #	Size
41-1400M	Medium
41-1400L	Large
41-1400XL	X-Large

Protective Industrial Products
MaxiDry Ultra Lightweight
Nitrile Grip
MaxiDry®



- Seamless string knit shell is comfortable and flexible
- Foam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Knit Wrist helps prevent dirt and debris from entering the glove
- Liquid Repellence - Increased resistance to oils via ATG's LiquiTech® technology platform
- Ultra Lightweight- Synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity
- Locking Cuff - Ensures the glove doesn't slip on the hand. An exclusive elasticated support in the wrist area provides a "locking" effect for a close and snug fit
- Optimized Grip - The micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications. The nonslip grip is only applied where it is actually needed - in the palm area - to ensure flexibility isn't compromised
- All ingredients used in the manufacturing and construction of this product are compliant with the REACH legislation
- This glove has been laundered prior to final packaging making it clean and safe for use
- The Oeko-Tex® Association has evaluated and certified this product as skin safe from the second it comes into contact with
- The Skin Health Alliance has awarded professional dermatological accreditation following review of the scientific dossier behind this product

Details:

- MaxiDry® by ATG®
- Drivers Style
- Ultra Lightweight Nitrile on Seamless Knit Nylon
- Purple/Black
- Non-slip Grip

Part #	Size
56-426L	Large
56-426XL	X-Large
56-426XXL	XX-Large

CLC®
PVC 14" Gauntlet Cuff Gloves
Work Gloves



- Double-dipped PVC coating.
- Actifresh® cotton flannel liner.
- 14" gauntlet cuff.
- Sandy finish on hand.
- Size: L.

Part #
2083L

Protective Industrial Products
Lined Top Grain Cowhide
Leather Premium Grade,
Thinsulate



- Top Grain Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Top Grain leather is smooth, provides durability and dexterity
- 3M™ Thinsulate™ lining provides superior insulation without the bulk of fleece
- Drivers gloves feature slip-on styling to provide good fit and comfort
- Keystone thumb is ergonomic, reduces hand fatigue, offers superior dexterity and durability
- Elastic closure sewn inside glove for safety and comfort
- Cotton color binding denotes sizing

Applications:

- Cold weather applications
- Farming
- Construction
- Machine operation
- Refrigeration

Part #	Size
77-269M	Medium
77-269L	Large
77-269XL	X-Large

Protective Industrial Products
Top Grain Cowhide Leather
Drivers Gloves



- Top Grain Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Top Grain leather is smooth, provides durability and dexterity
- Drivers gloves feature slip-on styling to provide good fit and comfort
- Keystone thumb is ergonomic, reduces hand fatigue, offers superior dexterity and durability
- Elastic closure sewn inside glove for safety and comfort
- Cotton color binding denotes sizing
- Top Grain Cowhide Drivers
- Superior Quality Grade
- Keystone Thumb
- Construction
- Machine operation
- Light duty welding
- Utility work
- Farming
- Roping
- Many other general applications

Part #	Size
68-165/S	Small
68-165/M	Medium
68-165/L	Large
68-165/XL	X-Large

WE OFFER YOU...


- Price
- Product
- Availability



WE SOLICIT YOUR...

- Inquiries
- Business
- Suggestions

Ergodyne Hand Style Warming Packs



- Hand-Style Warming Packs: Self-contained packs add heat anywhere when exposed to air.
- To activate, just open the pack
- All natural ingredients heat up when they contact oxygen
- Seal from oxygen in Zip-Loc bag and reuse the next day
- Hand style warms up to 8 hours

Part #	Size
16990	One Size

Boots

CLC® Rubber Boots Hand-Plied Yellow



- Genuine Rubber over the shoe boot.
- Bar tread outsole for traction.
- Fabric lined for comfort.
- Sizes available: 7-16.

Part #	Size
R2007	7
R2008	8
R20009	9
R20010	10
R20011	11
R20012	12
R20013	13
R20014	14
R20015	15
R20016	16

CLC® Black PVC Boot with Steel Toe



- Over the sock
- Cleated Outsole
- Sizes available: 7-13
- Steel Toe

Part #	Size
R24007	7
R24008	8
R24009	9
R24010	10
R24011	11
R24013	13

CLC® 5-Buckle Rubber Boot



- Fabric lined for comfort.
- Bar tread outsole for traction.
- Sizes available: 7-14
- Over the shoe.

Part #	Size
R22007	7
R22008	8
R22009	9
R22010	10
R22011	11
R22012	12
R22013	13
R22014	14

YakTrax® Walker Traction Device Black



- The YakTrax Walker is designed for people who are looking for an easy-to-use, light-weight traction device for their shoes.
- Walk Naturally
- Easy On/Off
- Spikeless/Ultralight
- Abrasion Resistant Steel Coils
- Ten Times The Gripping Points As Any Spike Based Traction Device

Part #	Size
08006	X-Small
08001	Small
08003	Medium

Ergodyne Adjustable Ice Traction Device



- Adjustable one-piece traction device for shoes or boots delivers tenacious grip and stability.
- Rugged steel studs for tenacious grip & stability
- Adjustable cord cinches tight for a secure fit
- Stretchable rubber for fit and easy on/off
- Aggressive tread connects mid-foot and heel stud zones
- Reflective pull-on tab adds enhanced visibility
- Flexible to -40°F (-40°C)

Part #	Size
16773	Medium
16774	Large
16775	X-Large

Rain Suits

CLC®
PVC Rain Suit
3-Piece - Yellow 0.35mm
PVC / Polyester Backing



- Jacket, bib pants, detachable hood.
- Full cut sizes to fit over clothing.
- Adjustable overall straps.
- Rear mesh vents for breathability.
- Bib style pants with snap fly front.
- Constructed with heavyweight PVC

Part #	Size
R101M	Medium
R101L	Large
R101X	X-Large
R1012X	2XLarge

Fall Protection

DBI/SALA®
Full Body Harness
Vest Style
ExoFit™



- Constructed from high performance materials from technology-intensive, safety minded industries including mountaineering, scuba diving, sky diving, shoe manufacturing and the military
 - Incorporates a breathable Aero-Spacer™ Dri-Lex® lining that immediately draws moisture away from the body keeping the worker dry and comfortable all day long
 - Ergonomic design incorporates built-in shoulder, hip and leg padding that always
- CONTINUED ON NEXT COLUMN

stays in place enhancing comfort and worker satisfaction

- Lycra® edging moves with you preventing uncomfortable rubbing or chafing enhancing comfort and mobility
- The industry's first and only one-handed quick connect buckles make putting on, adjusting and removing the harness a snap and provide a memory fit – adjust the harness once and it stays that way
- Wrap around no-tangle design slips on like a vest, making it quicker and easier to put on while providing ventilation, comfort, padding and security
- Back D-ring for connection to fall protection system
- Adjustable non-slip chest strap with intuitive quick connect buckle
- Torso buckles adjust easily, yet hold the straps firmly in place and complete the 5-point adjustment system
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Coated hardware for corrosion resistance
- Meets or exceeds all applicable industry standards including OSHA and ANSI including the stringent ANSI Z359

Part #	Size
1107976	Medium
1107977	Large

DBI/SALA®
Full Body Harness
Construction Style
ExoFit™



- Constructed from high performance materials from technology-intensive, safety minded industries including mountaineering, scuba diving, sky diving, shoe manufacturing and the military
 - Incorporates a breathable Dri-Lex® lining that immediately draws moisture away from the body keeping the worker dry and comfortable all day long
 - Ergonomic design incorporates built-in shoulder, hip and leg padding that always stays in place enhancing comfort and worker satisfaction
 - Lycra® edging moves with you preventing uncomfortable rubbing or chafing enhancing comfort and mobility
 - The industry's first and only one-handed quick connect buckles make putting on, adjusting and removing the harness a snap
- CONTINUED ON NEXT COLUMN

and provide a memory fit – adjust the harness once and it stays that way

- Wrap around no-tangle design slips on like a vest, making it quicker and easier to put on while providing ventilation, comfort, padding and security
- Sewn-in back pad and belt with side D-rings for added comfort and versatility
- Back D-ring for connection to fall protection system and side D-rings for work positioning
- Adjustable non-slip chest strap with intuitive quick connect buckle
- Torso buckles adjust easily, yet hold the straps firmly in place and complete the 5-point adjustment system
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Coated hardware for corrosion resistance
- Meets or exceeds all applicable industry standards including OSHA and ANSI including the stringent ANSI Z359

Part #	Size
1108501	Medium
1108502	Large
1108507	X-Large

**IF YOU CAN'T
FIND IT HERE...**

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for hard-to-find products.

Frank's Supply is here to serve you at any time.



SAFETY CATALOG

DBI/SALA®
Full Body Harness
Construction Style
ExoFit XP™



- The industry's first "truly washable" harness with removable padding.
- State-of-the-art 3-D mesh lining wicks moisture keeping you cool and delivering all-day comfort.
- Unique spring loaded "stand-up" dorsal D-ring ensures fast, easy and safe connections
- Superior "X" design padding wraps around the wearer for the ultimate in no-tangle donning
- Ergonomic design incorporates shoulder, hip and leg padding that always stays in place enhancing comfort and worker satisfaction.
- Soft edging moves with you preventing uncomfortable rubbing or chafing enhancing comfort and mobility.
- One-handed quick connect buckles make putting on, adjusting and removing the harness a snap and provide a memory fit – adjust the harness once and it stays that way.
- Built-in belt loops to support a SALA belt or one of your own.
- Torso buckles adjust easily, yet hold the straps firmly in place and complete the 5-point adjustment system.
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse .
- Coated hardware for corrosion resistance.
- Meets or exceeds all applicable industry standards including OSHA and ANSI including the stringent ANSI Z359
- Buckle Type: Quick Connect

Part #	Size	Style	D-Rings
1110101	Medium	ExoFit XP Vest	Back
1110102	Large	ExoFit XP Vest	Back
1110175	Small	ExoFit XP Construction Harness	Back & Side
1110176	Medium	ExoFit XP Construction Harness	Back & Side
1110177	Large	ExoFit XP Construction Harness	Back & Side
1110178	X-Large	ExoFit XP Construction Harness	Back & Side
1110179	XX-Large	ExoFit XP Construction Harness	Back & Side

DBI/SALA®
Construction Vest Style Full Body Harness



- Pro harnesses have a ergonomically designed chassis for better fit and function
- Back dee ring for fall protection and side dee rings for positioning
- Tongue buckle leg straps for secure and easy donning
- Integrated hip pad and shoulder pads for the ultimate in comfort
- Tongue buckle body belt and side dee rings for added comfort and support when positioning

Part #	Size
1191208	Small

DBI/SALA®
Padded Harness -Tongue Buckle Leg Straps



- Durable 1-3/4" wide polyester webbing
- Forged steel back "D" ring for strength
- Two side "D" rings for positioning
- Torso adjustments for personalized fit
- Integrated shoulder pads and back belt
- Exclusive tongue buckle leg strap design minimizes binding when stooping or squatting for extended periods, complete with dual retaining straps.
- Sewn in load indicators provide immediate visual inspection point.
- Individual serial numbers for issuance and traceability.
- Full compliance with OSHA 1910/1926 and ANSI Z359.1-1998 standards

Part #	Size
1191209	Medium / Large
1191210	X-Large

THE CONTRACTOR'S SOURCE



for Tools and Equipment



Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

DBI/SALA®
5-Point Full Body Harness



- Dorsal D-ring
- Pass-thru buckle chest and torso adjusters
- Supple back plaque
- Universal sizing
- 1.75" wide polyester web - blue top, yellow bottom
- Minimum tensile strength > 5,000 lbs.
- Zinc plated stamped steel
- Meets or exceeds OSHA 1926 & ANSI Z359.1-1998 performance criteria

Part #	Leg Closure Buckle Style	Size
AB17530	Pass-thru	Standard
AB17530XL	Pass-thru	X-Large

DBI/SALA®
Tie-Off Adaptor



- Pass-through design makes attaching to anchorage quick and easy
- 1-3/4" polyester strength member (5,000 lb. Min. tensile strength)
- 3" wide polyester wear pad for added abrasion resistance and product longevity
- Coated steel hardware for corrosion resistance and strength
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359

Part #	Description
1003006	6 ft. tie off adaptor
1003000	Tie off adaptor, pass thru type x 3 ft.

DBI/SALA®
Work Vest / Harness
Delta II



- Constructed from certified Hi-Vis fabric & reflective tape, meets class 1 & 2 high visibility requirements of ANSI/ISEA 107-1999
- Padded shoulders and neck liner enhance comfort & mobility
- Velcro tool fastener supports for accessory attachment
- Two chest pockets, one with a snap closure, one with slot for pens/pencils for plenty of on-board storage
- Tongue buckle leg straps for fast & easy donning
- D-rings: Back side
- Buckle type: Tongue buckle
- Hip pad/belt: Yes
- Belt loops: Yes
- Style: Vest

Part #	Size
1101654	Medium
1101655	Large
1101656	X-Large
1102000	Universal - One Size Fits Most

DBI/SALA®
Comfort Back Pad for Delta II
Harness

Delta II



- Delta™ comfort back pad
- Color: Yellow
- Removable

Part #
9501207

DBI/SALA®
Suspension Trauma Safety
Straps



- Suspension trauma safety straps (one pair), connects to most harnesses

Part #
9501403

SAFETY TRAINING

Frank's Supply provides safety training in a number of areas. These on-site safety programs cover situations such as aerial platform certifications, hand tool safety, ladder and scaffolding safety, fall protection, power tool safety, etc. Frank's factory trained safety coordinator provides a professional presentation to its customers.

Aerial Platform Certification - This training is to be general in nature since it covers safe operating instructions for all types of aerial platforms. The course consists of four key areas of learning - it covers responsibility, safety and operation, and finishes with practical hands-on operation. Trainees will receive aerial platform operation and safety certification cards at completion of course.

Forklift Operator Certification - Course covers both warehouse and rough terrain forklift operation. The course consists of two key areas of learning - the importance of forklift safety procedures and to demonstrate safe forklift operation. Trainees will receive a three year forklift certification by successfully completing written and hands-on forklift safety tests.

Ladder Safety - General training in the proper use of ladders to reduce the possibilities of injury on the job. The course consists of two key areas of learning - it covers using the wrong ladder and how to choose the right ladder; misusing or abusing climbing equipment and how to use and set-up a ladder correctly. Trainees will learn how to read and understand the decal codes on the ladder.

Scaffold Safety - General training in the proper erection of scaffolding and a review of OSHA's Safety Standards for scaffolds. The course consists of two key areas of learning - review of scaffold safety standards and what they mean. Plus trainees receive practical hands-on erection of scaffold. Trainees will become a "competent scaffold erector" for the construction jobsites.

Other training programs offered include: Hand Tool Safety, Skid Steer Safety and Operation, Powder Actuated Tool Certification, Power Tool Safety and Fall Protection.

CALL FRANK'S SUPPLY FOR DETAILS ON ALL TRAINING PROGRAMS.

DBI/SALA® Protecta First™ Compliance- in-a-Can Roofers Kit



Kits Includes Items listed below:
Protecta First Harness:

- 5 - point harness model Full Harness
- 1 - Dorsal D-ring on back
- Pass-thru buckle leg & chest closures
- Universal Sizing
- Zinc plated stamped steel
- Minimum tensile strength 5,000 lbs.
- 1.71 lbs. harness
- Meets or exceeds OSHA 1926 & ANSI Z359.1-1998 requirements
- 420 lbs weight limit

FIRST Rope Grab w/ 2 ft. Shock Absorbing Lanyard (1330096)

- Shock absorber - Polyester web
- Hook: Zinc plated stamped steel
- 5/8" Rope Grab: Chrome plated steel
- 1.82 lbs. on Rope grab/lanyard
- Meets or exceeds OSHA 1926 & ANSI Z359.1-1998 requirements
- 1 in bucket

FIRST™ Blended Rope Lifeline (AC27352):

- 50' length 5/8" diameter, polyester sheath with polypropylene core
- 5,600 lbs. tensile strength
- Zinc plated stamped steel hook
- 5.6 lbs.
- Meets or exceeds OSHA 1926 & ANSI Z359.1-1998 performance criteria

FIRST™ Reusable Roof Anchor (AJ730A):
èè

- 5,000 lb. anchorage point-when properly secured
- Forged alloy D-ring
- Painted steel construction
- Includes 20, 16D nails for single use
- 3 lbs. total weight of bracket
- 1 per bucket

Part #
2199803

DBI/SALA® Shock Absorbing Lanyard EZ Stop® II



- 1-3/4" Kevlar® webbing for extra protection from high heat
- 100% tie-off with aluminum hook (2-1/4" opening) at both leg ends
- Soft cover shock absorber for comfort
- Limits arresting forces to 900 lbs. or less
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359

Part #	Size (ft.)
1240620	4½

DBI/SALA® Force2™ Shock Absorbing Lanyards



- Components can be changed in the field
- Smallest shock absorber in the world
- Thinnest-ever webbing for reduced weight and bulk
- Lightest and strongest rebar hooks on the market
- Hi-10™ Vectran Energy Management Material
- Single-leg with snap hooks at ends x 6 ft.

Part #	Size (ft.)	Capacity (lbs.)
1246167	6'	3600

DBI/SALA® Tie-Back Shock Absorbing Lanyard WrapBax™



- For tie-back use—eliminates the need for a separate anchorage connector, reduces inventory & cost, simplifies inspections & worker training & improves compliance.
- Single-leg lanyard with WrapBax™ hook at one end, 6 ft. in length
- 5,000 lb. hook capacity from every direction including the gate provides 360 degree protection
- Heavy-duty webbing provides five times more abrasion resistance, making it ideal for tying off on rough surfaces
- Ergonomic pistol grip design makes holding and operating the hook easy, it's perfectly formed to fit a gloved or non-gloved hand.
- One-handed operation via an industry preferred easy-to-use hook action found standard on all DBI patented snap hooks
- Pinch-less design allows you to open and connect the hook without thumbs or fingers getting in the way - no pinching of fingers or fumbling of latches even while wearing gloves
- Web connection at top of hook eliminates dangerous cross-hook loading and positions the hook properly for easy connection
- Dead-bolt style locking mechanism provides the ultimate in strength, protection and ease-of-use for added security during rigorous tie-back use
- Built-in web guide directs the webbing into the open hook for simple and quick connection and use
- Unique hook design makes it easily differentiated (size, shape and color) from standard snap hooks to eliminate confusion on the jobsite for added safety
- Forged alloy steel zinc plated construction for the ultimate in strength and corrosion resistance for the toughest, harshest environments
- Limits arresting forces to 900 lbs. or less
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359

Part #	Size (ft.)
1241906	6

DBI/SALA®
Web Lanyard- 6 ft.
Adjustable x 1" Polyester
webbing



- 1" polyester constructed webbing for added durability
- Easy to use self locking snap hooks at both ends
- Built-in wear indicator
- 6 ft. in length and adjustable down
- Meets or exceeds all applicable industry standards including OSHA and ANSI
- (1) per box
- 2 lbs.

Part #
1231016

DBI/SALA®
Shock Absorbing Lanyard



- Shock Absorbing Lanyard
- 100% Tie-Off,
- Tubular
- Max. Working Load 310 Lb.
- Tensile Strength 8800
- Length 6 Ft.
- No. of Legs 2
- Strap Material Polyester Web
- Strap Width 2 In.
- Visual Load Indicator
- Body Material Alloy Steel
- Flat Steel
- Color Yellow
- For Use With Harness
- Anchor
- Snap Hook
- Flat Steel Hook
- Standards OSHA, ANSI

Part #	Material	Style
1244412	Polyester Webbing	Double Leg

DBI/SALA®
22" Chain Rebar Assembly



- Twist link chain rebar lanyard
- Self-locking snap hooks on leg ends
- Swiveling 2007153 (2-1/4" gate opening) aluminum hook at center
- 22" long

Part #	Description
5920050	5920080 w/swiveling alum hook 2007153 (2-1/4" gate opening) x 22"

DBI/SALA®
Chain Lanyard
Self locking Snap Hooks-SALA



- Self Locking snap hooks at end.
- Swiveling Flat Steel Hook
- 2-1/4" gate opening x 20.5" inches
- Sold 1 per box
- Weight 3.6 lbs.

Part #
5920051

DBI/SALA®
Rope Lanyard



- Our rope lanyards feature a five-tuck splice, exclusive seizing method and a three-strand nylon or polyester rope for the ultimate in durability and longevity.
- CONTINUED ON NEXT COLUMN

- Our nylon and polyester web lanyards feature a built in wear indicator to alert you when there is excess abrasion.
- 1/2" three-strand filament nylon rope
- 5-tuck splice
- Exclusive seizing method
- Self-locking snap hooks at ends
- 6 ft. long
- Available in 5/8" nylon and 1/2" or 5/8" polyester
- 1" Nylon Web
- Double Legs

Part #	Connectors
AE550AW1T	3 Standard Hooks

DBI/SALA®
Lanyard 4' with Locking Hooks



- 1" polyester constructed webbing for added durability
- Easy to use self locking snap hooks at both ends
- Built-in wear indicator informs user when to replace for added safety
- Meets or exceeds all applicable industry standards including OSHA and ANSI

Part #
1231104

DBI/SALA®
EZ-Stop 2 6' Lanyard



- Country_Of_Origin - United States
- Recycled - No
- Post-consumer-waste% - 0%
- Maximum_Load_Capacity - 900.00 lb
- Features - Shock Absorbing

Part #
1240006

DBI/SALA®
EZ-STOP® II Lanyard,
100% Tie-Off
Self Locking SnapHooks



- 1" webbing
- Twin leg 100% Tie off .
- Easy to use Self Locking Snap Hooks at ends & center
- Shock absorber has soft cover.
- 6 ft. length.
- 900 lbs. or less in limiting fall arresting forces.
- Meets or exceeds all applicable industry standards.
- Meets OSHA, ANSI and ANSI Z359 standards.
- 3.9 lbs.

Part #
1240406

DBI/SALA®
ShockWave2™ Lanyard
Aluminum Rebar Hooks at Leg
Ends



- Expands to 6 ft. and contracts to 4-1/2 ft. in reaction to your movement
- Reduces trip fall hazards, dragging and snagging for complete freedom of movement
- Twin-leg 100% tie-off style helps you remain connected at all times
- Easy to use self locking snap hooks at center and aluminum hooks (2-1/4" opening) at the leg ends
- Abrasion resistant tubular webbing for durability and longevity
- Impact indicator allows user to visually inspect unit for a fall
- 6 ft. in length
- Limits arresting forces to 900 lbs. or less
- Meets or exceeds all applicable industry standards including OSHA, ANSI.

Part #
1244409

Albuquerque, NM
(800) 432-5254

DBI/SALA®
Protecta PRO™ Stretch
Shock Absorbing Lanyard
Rebar Hooks



- Polyester tubular web that expands to 6 ft. (1.8m)
- Contracts to 4.5 ft. (1.4m)
- 3,600 lb. gated hooks
- an energy absorbing design that limits fall arrest forces to 900 lbs. or less.
- Double-legs have flat steel rebar hooks at leg ends x 6 ft. (2.25" Gate Openings)

Part #
1340161

DBI/SALA®
Protecta 100-Percent Shock
Absorbing Lanyard
6-Foot, 3 Hooks, 310-Pound
Capacity, Red, 1-Pack



- 3,600 pound gated hooks
- Durable construction
- Lightweight designs
- Limits fall arrest forces to 900 pounds or less

Part #
1340180

DBI/SALA®
Protecta Shock Absorbing
Lanyard
6-Foot, 2 Snap Hooks, 310-Pound
Capacity



- 3,600 pound gated hooks
- Durable construction
- Lightweight designs
- Limits fall arrest forces to 900 pounds or less

Part #
1341001

El Paso, TX
(800) 748-3726

DBI/SALA®
Nano-Lok™ Self Retracting
Life Line



- Attaches directly to back of most harnesses—no separate carabiner required
- Installs to web, leaving dorsal D-ring open for other equipment or rescue
- Design provides snug fit to worker's back—eliminates nuisance "flopping"
- Swivelling Anchorage Loop Limits lifeline twisting for smoother operation
- Automatic Quick-Activating Arrestor stops falling worker within inches - reduces fall distance & average arresting forces to 900 lbs or less
- Extremely Compact & Lightweight @ 1.6 lbs
- 3600 lbs gate on the carabiner
- Rated for 420 lbs weight capacity for operator & tools
- i-Safe Equipped
- Impact Indicator
- 6 foot Length
- Webbing
- 420lbs Capacity
- Single Lege Housing Connections

Part #	End Connection	Weight (lbs.)
3101225	Aluminum Carabiner	2.26lbs
3101228	Steel Locking snap hook	2.35lbs



Farmington, NM
(800) 541-8449

**DBI/SALA®
Rebel CT**

15 ft Cable Self Retracting Lifeline



- Lightweight and compact design weighs only 6.4 lbs (2.9kg)- 15 ft (4.5m) in length
- Rugged aluminum and steel construction for demanding worksites
- Swiveling anchorage loop helps keep the unit in line with the anchorage
- Kevlar/Nomex covered external shock pack for added protection
- Swiveling snap hook helps prevent twisting of cable and reduces damage to the lifeline and housing
- Meets all applicable industry standards including OSHA and ANSI Z359.1

Part #
AD115B

**DBI/SALA®
Protecta Rebel™ 33 Ft. Self
Retracting Lifeline**



- Top Swivel - limits lifeline twisting
 - Includes Self Closing Carabiner
 - Ergonomic carrying handle makes transport, set-up and storage easy
 - Swivel hook limits life line twist
 - Impact indicator provides visual indication of Fall Arrest
 - Ergonomic Cable Handle provides added comfort and ease-of-use when making connections
- CONTINUED ON NEXT COLUMN

**SALES
RENTALS
SERVICE**

**Hobbs, NM
(866) 475-8665**

- Self Locking Snap Hook w/ 3600 lb Gate Capacity reduces "roll-out"
- 420 lbs (190kg) Capacity
- Stackable housing allows for stacking on work surfaces
- Side Cable Exit - Enables smooth operation and reduces wear
- Galvanized Cable
- Thermoplastic Housing is lightweight, compact and durable

Part #
3590500

**DBI/SALA®
Retractable Lifeline
Rebel®**



- The industry's lightest and most compact SRL lifeline with AJ521 swiveling snap hook on lifeline and swivel on housing
- Lightweight and compact aluminum housing construction weighing only 2.8 lbs.
- Best lifeline length-to-weight ratio in the industry
- Unique super strength thin webbing for total security and added length in a compact SRL
- Unique speed sensing brake reduces clearance requirements and limits fall arrest forces to 900 lbs. or less
- Designed for smooth consistent operation
- Two year warranty, no recertification necessary
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359

Part #	Length (ft.)
AD111A	11
AD111BR	11 with swivel
AD120A	20
AD120BR	20 with swivel

**DBI/SALA®
Self Retracting Lifeline**

Ultra-Lok®



- Stainless steel working components for corrosion resistance
- 20' nylon web lifeline for reduced weight
- Reserve lifeline system maintains safe arresting forces in the event of a fall when lifeline is fully extended
- Self-locking swivel snap hook with impact indicator
- Swiveling anchorage loop to prevent twisting of lifeline


Part #
3103207

**DBI/SALA®
Nano-Lok Twin Leg SRL
Aluminum Rebar Hooks**



- 100% tie-off
- Meets all OSHA and ANSI standards
- Compact
- Comfortable
- Lightweight - 5.57 lbs.
- Max. weight capacity - 420 lbs.

Part #
3101277



*If you don't find everything you need,
please advise us and we will be happy
to help you in your requirements!*

FRANK'S
SUPPLY COMPANY, INC.
www.franks-supply.com

**Los Alamos, NM
(888) 568-1100**

DBI/SALA® Vertical Debris Netting 4' x 100'



- Protects workers near building edges by serving as a guardrail
- 48" high X 100' long with 55 EZ clips and 22 tie down plates (other sizes available)
- Eliminates need for mid-rail and toe board
- Easy to install, remove, relocate, and store
- Contains debris using a tight mesh
- Acts as a wind barrier
- Provides a visual bright orange barrier
- Provides protection to public
- Significant savings over wood or cable with toe boards
- System comes complete with everything needed, vertical netting, zip clips, for easy and secure net installation and tie-down plates to replace toe-boards and firmly set net into place
- Meets NFPA 701 fire retardant requirements
- Meets OSHA 1926.500 & 1926.502 Guard-rail requirements

Part #
4100200

DBI/SALA® Carabiner Saflok®



- 1-3/16" gate opening
- Self-closing/Self-locking gate for increased safety and security
- Steel construction for durability
- User-friendly design for simple operation even while wearing gloves
- Gate Face withstands a load of 3,600 lbs. (up from 220 lbs.)
- Side of Gate withstands a load of 3,600 lbs. (up from 350 lbs.)
- Minor Axis withstands 3,600 lbs.
CONTINUED ON NEXT COLUMN

- High strength construction with a minimum tensile strength of 5,000 pounds
- Compatible with most connecting rings
- Meets or exceeds all applicable industry standards including OSHA and the the new 2007 ANSI Z359 standard

Part #	Size (in.)
2000113	1 3/16 gate opening

DBI/SALA® Cobra® Automatic/Manual 5/ 8" Rope Grap



- Constructed of high impact resistant steel
- 1.75 lbs. total weight
- Operates in automatic or manual mode
- Accommodates 5/8" rope
- Can be used on approved horizontal rope systems
- Can be removed and reattached to rope at any point during traverse
- Compliance with OSHA 1926 and ANSI Z359 Standards

Part #
AC202D

DBI/SALA® Cable Choker



- Pass-through design makes attaching to anchorage quick and easy.
- 7x19 3/8 inch stainless steel cable construction (5,000 lb minimum tensile)
CONTINUED ON NEXT COLUMN

- strength) for added abrasion resistance and product longevity.
- 6 foot length.
- Coated o-ring hardware for corrosion resistance and strength.
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359.
- Weight 3.0 lbs.

Part #
5900551

DBI/SALA® 6' Webstrap Anchor Sling FIRST



- Strap : 1.75" polyester web
- 6' total length
- Minimum breaking strength > 5,000 lbs.
- Scuff Guard : 3" polyester web
- D-rings : Zinc plated stamped steel
- Meets or exceeds OSHA 1926 & ANSI Z359.1-1998 performance criteria

Part #
AJ47410

DBI/SALA® Continuous Concrete Insert Anchor



- Provides mobile anchor in standard strut material
- Stainless steel construction (plates) galvanized steel (carabiner)
- Accommodates 1-5/8" wide strut material
- Economically priced
- Maintenance free

Part #
AN220AS

**Quality
Prices**



**Quality
People**

**Albuquerque, NM
(800) 432-5254**

**El Paso, TX
(800) 748-3726**

**Farmington, NM
(800) 541-8449**

**DBI/SALA®
Roof Anchor**



- Forged alloy D-ring
- Zinc plated steel
- Includes 20 16D nails for single use
- Reusable after inspection with new hardware
- 3 lbs. total weight

Part #
AJ730A

**DBI/SALA®
Concrete D-Ring Anchor**



- Concrete D-ring anchor with 5 additional bolts
- Drill hole in set concrete, insert and torque anchor, and you have a 5,000 lb. anchor ready for use
- For temporary or permanent applications
- Reusable D-ring assembly
- Rugged design - no moving or fragile parts
- Indicator notifies user that anchor is installed properly
- Fits 11/16", 18 mm or 3/4" holes (standard drill bits)
- Connection point swivels 360° for safety and usability
- Also meets ASTM E488 Standard Test Methods for Strength of Anchors

Part #	Weight (lbs.)	Diameter (in.)
2104560	1.2	9X3.2X2.6
2104561	3.4	4.6x3.8x3.1

**DBI/SALA®
Sliding Beam Anchor
Glyder 2™**



- Glyder 2 sliding beam anchor, fits 3-1/2" - 14" wide flange up to 1-1/4" thick (use with Force2™ when using at workers feet)

Part #
2104700

**DBI/SALA®
Energy Absorbers for
Horizontal Lifeline Systems
Zorbit™**



- Zorbit energy absorber with 2 shackles, bolts and nuts

Part #
7401031

Safety Vest

**Ergodyne
Surveyors Vests
Class 2 Economy
GloWear®**



- ANSI-certified poly solid front (3.6 oz.) / mesh back (3.3 oz.)
- Zipper closure
- 2" Level 2 ANSI-certified tape
- Pockets: Two inside, two outside
- Lime, Orange
- Size: Large/X-Large

Part #
24015

**Protective Industrial Products
Surveyors Vest
ANSI Class 2 Two-Tone Six
Pocket**



- 2" two tone tape for optimum visibility
- Zipper closure
- 2 mic tabs with reinforced stitching
- 2 lower external flap pockets
- 2 internal lower pocket
- 1 chest radio pocket
- 1 chest pocket with 4 pen pockets in front
- Available in hi-vis lime yellow and hi-vis orange
- M-5X

Part #	Size	Color
302-0500-YEL/M	M	Yellow
302-0500-YEL/L	L	Yellow
302-0500-YEL/XL	XL	Yellow
302-0500-YEL/2X	2X	Yellow
302-0500-YEL/3X	3X	Yellow
302-0500-ORG/M	M	Orange
302-0500-ORG/L	L	Orange
302-0500-ORG/XL	XL	Orange
302-0500-ORG/2X	2X	Orange
302-0500-ORG/3X	3X	Orange

**It's easy
to get
the best
when you
order from
the best.**



SAFETY CATALOG

Protective Industrial Products Class 3 Premium Mesh



- Breathable polyester mesh
- 2" two tone reflective tape for optimum visibility
- Zipper closure
- 2 internal lower pockets
- Available in hi-vis lime yellow and hi-vis orange
- M-5X

Part #	Size	Color
303-HSVPLY/M	M	Lime/Yellow
303-HSVPLY/L	L	Lime/Yellow
303-HSVPLY/XL	XL	Lime/Yellow
303-HSVPLY/2X	2X	Lime/Yellow
303-HSVPLY/3X	3X	Lime/Yellow

Protective Industrial Products Non-ANSI One Pocket Mesh Safety Vest



- Breathable polyester mesh fabric
- Hook and loop closure
- Side elastic for improved comfort and fit
- 1" reflective silver tape
- Available in hi-vis lime yellow and hi-vis orange
- One size fits most

Part #	Color
300-EVOR-E/Y	Orange

Ergodyne Non-Certified High Gloss Vest Orange with Lime Stripe



- Polyester mesh (2.6 oz.)
- Hook & loop closure
- 1" Hi-Gloss retroreflective tape
- Orange with lime stripe

Part #
20070

Ergodyne Corporation Hi-Gloss Vest Class 2 GloWEAR®



- Zipper closure
- ANSI Certified Polyester Solid Front / Mesh Back (3.6 oz./3.3 oz.)
- Lime or Orange
- 2" Level 2 Certified Tape (3M Scotchlite)
- Tape Specs: (1) 360°, (2) Vertical
- Pockets: 4 - two inside, one 4-division outside, one 6-division outside
- Standards: ANSI 107-Class 2

Part #	Size	Color
21433	Small - Medium	Orange
21435	Large - X-Large	Orange
21437	2X-Large - 3X-Large	Orange
21443	Small - Medium	Lime
21445	Large - X-Large	Lime
21447	2X-Large - 3X-Large	Lime

Ergodyne Corporation Hi-Gloss Vest Class 2 GloWEAR®



- Zipper closure
- ANSI Certified Polyester Solid Front / Mesh Back (3.6 oz./3.3 oz.)
- Lime or Orange
- 2" Level 2 Certified Tape (3M Scotchlite)
- Tape Specs: (1) 360°, (2) Vertical
- Pockets: 4 - two inside, one cell phone pocket outside, one 6-division outside
- S/M, L/XL, 2X/3XL, 4XL/5XL
- Standards: ANSI 107-Class 2

Part #	Size	Color
21413	Small - Medium	Orange
21415	Large - XL	Orange
21417	2XL - 3XL	Orange
21423	Small - Medium	Lime
21425	Large - XL	Lime
21427	2XL - 3XL	Lime
21429	4XL - 5XL	Lime

We are in touch
with the world's
largest and best
manufacturers.



Centralize your
purchases with us!



Frank's Supply - The Best for the Best.

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

Ergodyne Corporation
Two-Tone Safety Vest
Class 3
GloWEAR®



- ANSI-certified polyester mesh (3.3 oz.)
- Zipper closure
- 2" level 2 ANSI-certified tape (3M™ Scotchlite™)
- Tape set on 4.5" contrasting color background
- Pockets: One Side
- Lime, Orange

Part #	Size
22183	Small / Medium
22185	Large / X-Large
22187	2XL / 3XL

Ergodyne
Class 2 Two-Tone Expandable
Vest
Glowear



- ANSI-compliant polyester mesh (3.3 oz.)
- Hook & loop closure
- 3M™ Scotchlite™ Reflective Material, Level 2 ANSI-compliant
- Reflective set on 4.5" contrasting color background
- Radio tabs / holders
- Pockets: One multi-division inside
- Available in Lime, Orange, Navy, White (only Lime and Orange are ANSI 107 Class 2 compliant)
- Over 40 logos in stock; custom design available
- Contact Ergodyne for logo minimums

Part #
21380
21382

Personal Protection

Ergodyne Corporation
Cooling Towels
Chill-Its®



- Cooling Towel: Dampen this synthetic chamois to create a cooling aid significantly colder than ambient air.
- Advanced PVA material holds water without feeling heavy
- Super-evaporative, feels significantly cooler than ambient air
- Wear for hours, or wipe off for quick relief
- Simply re-wet the towel to reactivate
- Reduces the effect of heat stress and fights fatigue
- Hand wash

Part #
12420

Ergodyne
Evaporating Cooling Bandana
- Tie

Chill-Its® 6700



- Activate by soaking in water for 2-5 minutes
- Re-usable: just soak in water to re-activate
- Tie closure
- Denim, Stars & Stripes, Camouflage, Red Western, Navy Western, Solid Blue, Canadian, Flag, Mexican Flag, Barbwire, Flames, Skulls, Grab Bag
- One size fits all.

Part #
12303

Ergodyne
High-Performance Dew Rag
Chill-Its® 6615



- Hi Cool® moisture management performance fabric
- Comfortable to wear under hats, helmets or alone
- Absorbent terry headband
- Elastic band for a great fit
- Blue, Hi-Vis Lime, Stars & Stripes, Camouflage, Barbed Wire, Mexican Flag, Canadian Flag, Navy Western, Red Western, Skulls, and Flames

Part #
12477

Ergodyne
High-Performance Hat with
Neck Shade

Chill-Its® 6650



- Hi Cool® moisture management performance fabric
- Absorbent terry headband
- Wide panel neck protection
- Adjustable cinch cord for a great fit
- Hi-Vis Lime, Hi-Vis Orange

Part #
12520
12521


Ergodyne Hi-Vis Ranger Hat w/CT



- Advanced PVA material lines the inside hat rim for relief from the heat.
- Easily activated by running under water for one minute
- Cooling sensation lasts for up to 4 hours
- ANSI certified 150D Oxford Polyester
- 1" Level 2 ANSI-compliant tape with contrasting color
- Patent Pending

Part #	Size
12590	S/M
12591	L/XL

Prime Source Safety Fence Orange Plastic Mesh



- Size: 4' x 50'
- Safe, smooth, and attractive safety fence.
- The diamond mesh ensures aesthetic appeal, while the smooth top and bottom borders make the fence less likely to cut and scrape adjacent materials during installation and removal.

Part #
BFHD450GR

THE CONTRACTORS SOURCE
for Tools & Equipment
for **61** Years

Prime Source T Posts Grip Rite



- Rail steel (recycled material) with plate-light and heavy duty, plus 1.33 weights.
- Import green
- 5' 6"

Part #
TP56125

Prime Source Building Products Silt Fence Black Polypropylene




- Polypropylene barrier fence used for erosion control
- Reinforcing cord sewn in the top hem of fence
- 48" oak posts attached to fence spaced approximately 10' apart
- 36" x 100', 10 mil. thick black roll
- Weight: 40 lbs. per roll

Part #
SFS112



Jackson Safety® Woven Poly Sandbags Heavy-Duty



- Hemmed top polypropylene sandbags
- Tie cord attached
- White 18" x 27" sandbag
- UV rating - 500 hrs
- Mildew resistant
- 100 sandbags per bundle

Part #
2057318

SAFETY TRAINING

Frank's Supply provides safety training in a number of areas. These on-site safety programs cover situations such as aerial platform certifications, hand tool safety, ladder and scaffolding safety, fall protection, power tool safety, etc. Frank's factory trained safety coordinator provides a professional presentation to its customers.

Aerial Platform Certification - This training is to be general in nature since it covers safe operating instructions for all types of aerial platforms. The course consists of four key areas of learning - it covers responsibility, safety and operation, and finishes with practical hands-on operation. Trainees will receive aerial platform operation and safety certification cards at completion of course.

Forklift Operator Certification - Course covers both warehouse and rough terrain forklift operation. The course consists of two key areas of learning - the importance of forklift safety procedures and to demonstrate safe forklift operation. Trainees will receive a three year forklift certification by successfully completing written and hands-on forklift safety tests.

Ladder Safety - General training in the proper use of ladders to reduce the possibilities of injury on the job. The course consists of two key areas of learning - it covers using the wrong ladder and how to choose the right ladder; misusing or abusing climbing equipment and how to use and set-up a ladder correctly. Trainees will learn how to read and understand the decal codes on the ladder.

Scaffold Safety - General training in the proper erection of scaffolding and a review of OSHA's Safety Standards for scaffolds. The course consists of two key areas of learning - review of scaffold safety standards and what they mean. Plus trainees receive practical hands-on erection of scaffold. Trainees will become a "competent scaffold erector" for the construction jobsites.

Other training programs offered include: Hand Tool Safety, Skid Steer Safety and Operation, Powder Actuated Tool Certification, Power Tool Safety and Fall Protection.

CALL FRANK'S SUPPLY FOR DETAILS ON ALL TRAINING PROGRAMS.

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

Fire Extinguishers

Kidde®
Dry Chemical Fire
Extinguisher
for Vehicles & Trailers
PRO2.5 MP



- Ideal for vehicles, apartments and trailers
- Standard commercial design
- Compact design
- Strong aluminum valve body for standard commercial applications
- Designed to meet most commercial and industrial specifications
- Seamless aluminum and steel cylinders have chip resistant epoxy finish
- Reliable pressure gauge for fast and easy pressure checks
- Superior agent provides higher UL ratings than other agents in comparable sizes
- Handle made from pressed heavy gauge metal for added strength
- Fits all standard cabinets
- Mar-resistant pictogram mylar label
- Operable temperature range: -40F to 120F (-40C to 48C)
- Brackets: Units are equipped with a wall hanger for mounting in standard applications
- Heavy duty vehicle brackets are available for high traffic and vibration areas
- UL Rating: 1-A:10-B:C
- Effective Against Class: ABC
- Contents: 2.60 lbs.
- Filled: 3.90 lbs.
- Diameter: 3.30"
- Height: 15"

Part #
466227-01K

Kidde®
Dry Chemical Fire
Extinguisher with Strap
for Common Industrial
PRO5 MP



- Ideal for common industrial use: office, hotels, schools
- Strong aluminum valve body for standard commercial applications
- Designed to meet most commercial and industrial specifications
- Seamless aluminum and steel cylinders have chip resistant epoxy finish
- Reliable pressure gauge for fast and easy pressure checks
- Superior agent provides higher UL ratings than other agents in comparable sizes
- Handle made from pressed heavy gauge metal for added strength
- Fits all standard cabinets
- Mar-resistant pictogram mylar label
- Operable temperature range all models: -40F to 120F (-40C to 48C)
- Brackets: Units are equipped with a wall hanger for mounting in standard applications
- Heavy duty vehicle brackets are available for high traffic and vibration areas
- 5lb. model exceeds 2-A:10-B:C compliance
- UL Rating: 3-A:40-B:C
- Effective Against Class: ABC
- Contents: 5 lbs.
- Filled: 7.90 lbs.
- Diameter: 4.50"
- Height: 16"

Part #
466112-01K

Kidde®
Dry Chemical Fire
Extinguisher
for Industrial Applications
PRO10 MP



- Ideal for industrial applications such as hospitals, universities, warehouse and plant locations
- Commercial design meets industrial requirements
- Strong aluminum valve body for standard commercial applications
- Designed to meet most commercial and industrial specifications
- Seamless aluminum and steel cylinders have chip resistant epoxy finish
- Reliable pressure gauge for fast and easy pressure checks
- Superior agent provides higher UL ratings than other agents in comparable sizes
- Handle made from pressed heavy gauge metal for added strength
- Fits all standard cabinets
- Mar-resistant pictogram mylar label
- Operable temperature range all models: -40F to 120F (-40C to 48C)
- Brackets: Units are equipped with a wall hanger for mounting in standard applications
- Heavy duty vehicle brackets are available for high traffic and vibration
- UL Rating: 4-A:60-B:C
- Effective Against Class: ABC
- Contents: 10 lbs.
- Filled: 17 lbs.
- Diameter: 5.12"
- Height: 21.18"

Part #
466204K

THE CONTRACTOR'S SOURCE

for Tools and Equipment



Kidde®
Dry Chemical Fire Extinguisher
 for High Hazard Industrial
 PRO20 MP



- Designed for high hazard industrial applications
- Highest UL rating for multi purpose models
- Seamless steel cylinder is superior to welded designs
- Strong aluminum valve body for standard commercial applications
- Designed to meet most commercial and industrial specifications
- Seamless aluminum and steel cylinders have chip resistant epoxy finish
- Reliable pressure gauge for fast and easy pressure checks
- Superior agent provides higher UL ratings than other agents in comparable sizes
- Handle made from pressed heavy gauge metal for added strength
- Fits all standard cabinets
- Mar-resistant pictogram mylar label
- Operable temperature range all models: -40F to 120F (-40C to 48C)
- Brackets: Units are equipped with a wall hanger for mounting in standard applications.
- Heavy duty vehicle brackets are available for high traffic and vibration areas
- UL Rating: 10-A:80-B:C
- Effective Against Class: ABC
- Contents: 18 lbs.
- Filled: 30 lbs.
- Diameter: 7"
- Height: 21.60"

Part #
466206K

**SALES
 RENTALS
 SERVICE**

**Albuquerque, NM
 (800) 432-5254**

Flammable Liquid Storage

Justrite®
Red Safety Cans
 Type I
 for Flammable Liquids



- Compliant and economical Justrite Type I safety cans reduce fire risks and make everyday use of flammables easier and safer.
- Protection features include a 3.5" long chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability.
- The self-venting, self-closing leak-proof lid prevents ruptures from pressure buildup and controls vapors and spills.
- Warning label includes an extra large ID zone for user labeling of contents to avoid misuse, reduce the potential for incompatible mixtures, or may be used to designate department or individual owner.
- Made of galvanized steel with a tough powder paint finish, can capacities 1 gallon (4L) and above have ample head space to accommodate oil additives.
- Meets OSHA and NFPA. FM Approved, UL/ULC listed, Carb Compliant, TÜV Certified.

Stainless Steel Flame Arrester:

- Precision arrester screen stops flashback ignition to reduce fire risks
- Superior chemical resistance
- Excellent corrosion protection
- Long length for safe insertion of gas nozzle
- Faster liquid flow

Large ID Zone:

- Identify contents to reduce misuse or incompatible mixtures
- Designate department location, work shift, crew or individual user

Part #	Capacity (gal.)	Outer Dia. x H (in.)
7110100	1	9-½ x 11
7125100	2.5	11-¾ x 11-½
7150110	5	11-¾ x 16-7/8

**El Paso, TX
 (800) 748-3726**

Justrite®
Yellow Safety Cans
 Type I
 for Flammable Liquids



- Compliant and economical Justrite Type I safety cans reduce fire risks and make everyday use of flammables easier and safer.
- Protection features include a 3.5" long chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability.
- The self-venting, self-closing leak-proof lid prevents ruptures from pressure buildup and controls vapors and spills.
- Warning label includes an extra large ID zone for user labeling of contents to avoid misuse, reduce the potential for incompatible mixtures, or may be used to designate department or individual owner.
- Made of galvanized steel with a tough powder paint finish, can capacities 1 gallon (4L) and above have ample head space to accommodate oil additives.
- Meets OSHA and NFPA. FM approved, UL/ULC listed, Carb compliant, TÜV certified.

Stainless Steel Flame Arrester:

- Precision arrester screen stops flashback ignition to reduce fire risks
- Superior chemical resistance
- Excellent corrosion protection
- Long length for safe insertion of gas nozzle
- Faster liquid flow

Large ID Zone:

- Identify contents to reduce misuse or incompatible mixtures
- Designate department location, work shift, crew or individual user

Part #	Capacity (gal.)	Outer Dia. x H (in.)
7150200	5	11-¾ x 16-7/8



**Farmington, NM
 (800) 541-8449**

**Justrite®
Yellow Safety Cans
Type II**
for Flammable Liquids - AccuFlow™



- Compliant Type II steel safety cans offer additional convenience with two openings at the top
- One opening is equipped with a flexible metal hose for smooth, accurate pouring into small apertures—The hose also provides a bonding path to a receiving vessel
- A second opening, positioned behind the handle, is used for filling
- All Type II Cans have a swinging handle to ease carrying a full, heavy can
- During pouring, Justrite's unique design uses the weight of the liquid to counterbalance the pressure required to open the spout
- Both openings are equipped with dual-density flame arresters which reliably dissipate heat to prevent flashback ignition
- Both openings self-close to prevent spillage and the rear opening automatically vents between 3 and 5 PSIG to guard against pressure buildup at elevated temperatures and potential explosion
- Heavy-duty, coated steel with reinforcing ribs and tough powder paint finish offers exceptional on-the-job durability
- All cans meet OSHA and NFPA, are FM Approved and UL/ULC Listed

Part #	Capacity (gal.)	Outer Dia. x H (in.)
7250130	5	11-3/4 x 17-1/2

**WE ARE IN TOUCH
WITH THE WORLD'S
LARGEST AND BEST
MANUFACTURERS.**



**Centralize your
purchases with us!**

**Hobbs, NM
(866) 475-8665**



www.franks-supply.com

**Justrite®
Red Safety Cans
Type II**
for Flammable Liquids - AccuFlow™



- Compliant Type II steel safety cans offer additional convenience with two openings at the top
- One opening is equipped with a flexible metal hose for smooth, accurate pouring into small apertures—The hose also provides a bonding path to a receiving vessel
- A second opening, positioned behind the handle, is used for filling
- All Type II Cans have a swinging handle to ease carrying a full, heavy can
- During pouring, Justrite's unique design uses the weight of the liquid to counterbalance the pressure required to open the spout
- Both openings are equipped with dual-density flame arresters which reliably dissipate heat to prevent flashback ignition
- Both openings self-close to prevent spillage and the rear opening automatically vents between 3 and 5 PSIG to guard against pressure buildup at elevated temperatures and potential explosion
- Heavy-duty, coated steel with reinforcing ribs and tough powder paint finish offers exceptional on-the-job durability
- All cans meet OSHA and NFPA, are FM Approved and UL/ULC Listed

Part #	Capacity(gal.)	Can Outer Dia. x H (in)	HoseDia. (in.)
7250120	5	11-3/4 x 17-1/2	1/16

**Justrite®
Funnel Attachments**
for Type I Steel Safety Cans
for Flammable Liquids

- Exclusive "stay-on" funnel design with a flexible hinge
- For safe, leak-free pouring into smaller openings
- Attaches quickly
- Two position funnel allows you to:
- Fill can without removing the funnel
- Save storage space by folding funnel down
- Reduce splashes with large rounded bowl
- Fits 1 gallon steel can and above



Part #	Style	Material
11202Y	Slip-On	Yellow Polyethylene
11089	Bolt-On	Galvanized Steel

**Los Alamos, NM
(888) 568-1100**

Justrite®
Yellow Safety Cabinets
 Manual & Self-Closing Door
 Flammable Liquids Storage



- For safe storage organization of your flammable liquids.
- Save traveling time, minimize employee exposure and seal off your flammables when temperatures get too high
- 18-gauge construction with double-wall insulating air barrier
- Three point lock
- Four leveler feet,
- 2" leakproof door sills
- Dual-vents for removal of hazardous vapors
- Four steel tabs attach adjustable shelves to customize your cabinet for storing a variety of containers
- Models with self-closing doors have fusible links that melt at 165°F to automatically shut in case of fire.
- Yellow powder coat paint finish
- Cabinets comply with OSHA and NFPA Code 30 specification
- 2 Door, Manual

Part #	HxWxD (in.)	Capacity (gal.)
893000	44 x 43 x 18	30
894500	65 x 43 x 18	45

Surface Shields

Surface Shields, Inc.
Clean Mat
 Blue



- CLEAN MAT is a polyethylene film mat with a tacky surface that removes dust and dirt from footwear and prevents it from being tracked.
- Each mat contains 30 sheets which are tabbed for easy removal of each layer.
- Clean mat stays firmly in place and is easy to use and dispose of!

(Do not adhere to carpeted surfaces)

Part #	Width x Length (in.)
CM2436B4	24 x 36
CM3636B4	36 x 36

Albuquerque, NM
(800) 432-5254

Surface Shields, Inc.
Carpet Shield
 Reverse Wound



- Clear, self adhering protective film for all types of carpeting.
- Uniquely formulated adhesive system adheres to all carpet substrates.
- Special blend of polyethylene is highly resistant to tears or punctures.
- Reverse wound for easy application.
- Great protection during remodeling, painting, moving, model home tours and parties.

Part #	Width x Length (in. x ft.)
CS24200L	24 x 200
CS36500	36 x 500

Surface Shields, Inc.
Floor Shield
 Multi-Purpose



- FLOOR SHIELD™ is a self-adhering protective film for hard surfaces, such as tile, vinyl, VCT, laminates, marble, granite, and factory-finished hardwood.
- Available in many sizes, it also can be used to help prevent damage to tubs and counter tops.
- A true multi-purpose product, it is ideal for use during construction, remodeling, plumbing and electrical work and painting.
- Floor Shield™ may be applied for up to 45 days.
- Floor Shield™ reduces damage claims and clean up time, resists ripping and tearing, does not shift like paper and it applies and removes easily.

Part #	Width x Length (in. x ft.)
FS24200L	24 x 200



THE COMPLETE SOURCE

El Paso, TX
(800) 748-3726

Surface Shields, Inc.
Floor Shield
 Hard Surface Protection



- Floor Shield is a self-adhering protective film or hard surfaces, such as tile, vinyl, VCT, laminates, marble, granite, and factory-finished hardwood.
- Available in many sizes, it also can be used to help prevent damage to tubs and counter tops.
- A true multi-purpose product, it is ideal for use during construction, remodeling, plumbing and electrical work and painting.
- Floor shield may be applied for up to 45 days.
- Reduce damage claims and cleanup time
- Protects under toughest conditions
- Resists ripping and tearing
- Does not shift like paper
- Easy application and removal

Part #	Width x Length (in. x ft.)
FS36500	36 x 500

Surface Shields, Inc.
Shoe Covers
 Slip-On



- Protect your floor or carpet from dirt, scuffs, and heel marks with our new, slip-on SHOE COVERS.
- Easy to use shoe covers are perfect for general construction work, open houses, as well as during inspections.
- Shoe covers are lightweight and disposable.
- One size fits all.
- Polypack (10 polypacks per case)

Part #
SC3001PB

Farmington, NM
(800) 541-8449

First Aid

Jackson Safety®
Vehicular First Aid Kit
Plastic



- Ideal for glove compartment, trunk, under seat storage
- Unitized
- Plastic kit

Part #
238ANF

Certified Safety Manufacturing, Inc.
10 PW 10 Person ANSI First
Aid Kit



- Economically priced, comprehensive fills.
- Available in metal or poly.
- Each kit is neatly organized.

Includes:

- (1) Certi-Strips - Plastic - ANSI, 1" x 3", 16/ unit
- (1) Certi-Gauze Pads - ANSI, 3" x 3", 4/ unit
- (1) Certi-Sporyn - Antibiotic Cream - ANSI, 1g, 10/unit
- (1) Antiseptic BZK Towelettes - ANSI, 5" x 7", 10/unit
- (1) Certi-Burn Cream - ANSI, 1g, 6/unit
- (1) Triangular Bandage - O/W - ANSI, 40" x 40" x 56", 1
- (1) Absorbent Compress - ANSI, 32 Sq.", 1
- (2) Certi-Strips - Heavy Weight Woven, Fingertip, 1
- (2) Certi-Strips - Heavy Weight Woven, Knuckle, 1
- (1) Certi-Non-Stick Pad, 2" x 3", 1
- (2) Gloves - Nitrile - ANSI, Large, 1/pair
- (1) Certi-Tape - ANSI, 1/2" x 2 1/2 yd., 1
- (2) Insect Sting Wipe-Ups, 1" x 2", 1
- (1) First Aid Facts Guide, Card, 1

Part #	Case
K610-027	Poly White
K610-028	Metal

Certified Safety Manufacturing, Inc.
16 PW - 25 Person ANSI First
Aid Kit
With Eye Wash



- Economically priced, comprehensive fills.
- Available in metal or poly.
- Each kit is neatly organized.

Includes:

- (1) Certi-Strips - Plastic - ANSI 1" x 3" 16/unit
- (1) Certi-Gauze Pads - ANSI 3" x 3" 4/unit
- (1) Certi-Sporyn - Antibiotic Cream - ANSI 1g 10/unit
- (1) Antiseptic BZK Towelettes - ANSI 5" x 7" 10/unit
- (1) Certi-Burn Cream - ANSI 1g 6/unit
- (1) Triangular Bandage - O/W - ANSI 40" x 40" x 56" 1
- (1) Absorbent Compress - ANSI 32 Sq." 1
- (3) Certi-Strips - Heavy Weight Woven Fingertip 1
- (3) Certi-Strips - Heavy Weight Woven Knuckle 1
- (2) Certi-Non-Stick Pad 2" x 3" 1
- (2) Gloves - Nitrile - ANSI Large 1/pair
- (1) Certi-Tape - ANSI 1/2" x 2 1/2 yd. 1
- (1) Cold Pack - Certi-Cool - Junior 5" x 7" 1
- (1) PVP Iodine Swab Crushable 1
- (2) Insect Sting Wipe-Ups 1" x 2" 1
- (1) Eye Wash 1 oz 1
- (1) First Aid Facts Guide Card 1

Part #	Case	Eye Wash
K610-029	Poly White	Yes
K610-030	Metal	Yes



Certified Safety Manufacturing, Inc.
21 pw - 50 Man ANSI First Aid
Kit



- Includes everything you need to fully administer first aid for up to 50 people
- Comes with an Eye Wash unit for cleaning debris or chemicals from eyes
- Polyethylene cases help keep components organized and free from dirt and moisture
- Made in the U.S.A.

Includes:

- One (1) White Polyethynelene Carrying Case
- Twelve (12) 1 gm First Aid Creams
- Ten (10) Antiseptic BZK Towelettes
- Five (5) Certi-Strip, Fingertip
- Four (4) Certi-Strip, Knuckle
- Ten (10) Alcohol Wipe-ups
- Two (2) 2" x 3" Plastic Certi-Strip Bandages
- Two (2) 3" x 4" Certi-Non-Stick Pads
- Four (4) 3" x 3" Certi-Gauze Pads
- Two (2) Eye Pads
- Two (2) Tape Eye Pads (2 Strips per Card)
- Two (2) 1/8 oz Certi-Burn Gels
- Three (3) PVP Iodine Wipe-Ups
- One Hundred (100) 1" x 3" Plastic Certi-Strip Bandages
- Two (2) Ammonia Inhalants
- One (1) Certi-Cool-Jr Cold Pack
- One (1) 2" x 5 Yd Ace Style Elastic Bandage
- One (1) 20 ml Certi-Ose Eye Wash
- One (1) Plastic Forceps
- One (1) 2" x 6 Yd Certi-Gauze Roll
- One (1) 3" x 6 Yd Certi-Gauze Roll
- Two (2) Pair of Nitrile Gloves
- One (1) 4" Bandage Scissors
- One (1) 5" x 9" Trauma Pad
- One (1) O/W Triangular Bandage
- One (1) 1/2" X 2-1/2 Yd Adhesive Certi-Tape
- One (1) First Aid Facts Sheet
- One (1) Plastic Safety Flag Seal

Part #	Case
K610-033	Poly White
K610-034	Metal

SAFETY CATALOG

Certified Safety Manufacturing, Inc. Eye & Skin Wash Station



- 2 - Certi-Lizer 16 oz. bottles
- 1 - Eye Was Station

Part #
K611-018

Certified Safety Manufacturing, Inc. Certi-Lens Anti-Fog Static Towelettes



- Anti-fog. Anti-static.
- Cleans glass and plastic
- 100 packets of 5" x 6" tissue per box.

Part #
R508-001

Certified Safety Manufacturing, Inc. First Aid Poster



- First Aid Poster

Part #	Language
R509-010	English
R509-035	Spanish

Certified Safety Manufacturing, Inc. 10 PW Vehicle First Aid Kit



- Vehicle First Aid Kit
- Includes:
 - (1) Certri-Strips - Plastic - ANSI, 1"x3", 16/unit
 - (1) Certi-Gauze Bandage Compress, 2", 4/unit
 - (1) Certi-Gauze Bandage Compress, 4", 1/unit
 - (1) Triangular Bandage - w/Pins - ANSI, 40" x 40" x 56", 3/unit
 - (1) Certi-Gauze Pads - ANSI, 3" x 3", 4/unit
 - (1) Absorbent Compress - ANSI, 32 Sq.", 1/unit
 - (1) Antiseptic BZK Towelettes - ANSI, 5" x 7", 10/unit
 - (1) Certi-Tape - ANSI, 1/2" x 2-1/2"yd., 2/unit
 - (1) Certi-Burn Cream - ANSI, 1g, 6/unit
 - (1) Gloves - Nitrile - ANSI, Large, 2/pair
 - (1) First Aid Facts Guide, Card, 1

Part #
K201-048

Lock Out Tag Out Master Lock® Lightweight Xenoy® Padlock Safety Lockout 6-Pin Cylinder Safety Series™



- Bright molded-in colors for extreme durability and easy identification
 - Special Trilingual "Safety Lockout" markings and labels
 - Non-conductive Xenoy body
 - Extra-long standard steel shackle for added locking versatility
 - Restricted safety lockout 6-pin tumbler cylinder for greater security
 - Key retaining feature ensures padlock is not left unlocked
- CONTINUED ON NEXT COLUMN

- Custom laser engraving available—Call for price quote
- Body width: 1-1/2"
- Horizontal shackle clearance: 25/32"
- Shackle diameter: 1/4"
- Keyed: Alike

Part #	Color
410KABLU	Blue
410KAYLW	Yellow

Master Lock® Lightweight Xenoy® Padlock Safety Lockout 6-Pin Cylinder Safety Series™



- 1-1/2" (3.8cm) wide 1-3/4" (4.4cm) tall Xenoy black body, shackle w/1-1/2" (3.8cm) clearance
- Designed exclusively for Lockout/Tagout applications
- Durable, lightweight, non-conductive Xenoy lock body
- Customize on-site with permanent, write-on labels
- Compliance with OSHA "one employee, one lock, one key" directive
- High security, reserved-for-safety cylinder
- Key retaining—ensures that padlock is not left unlocked
- Keyed different 6-pin tumbler cylinder
- Commercial boxed packaging, shelf pack qty 6, master carton qty 36

Part #	Color
410BLU	Blue
410YLW	Yellow
410PRP	Purple
410RED	Red

**FAMILY OWNED
AND OPERATED
SINCE 1953**



**Albuquerque, NM
(800) 432-5254**

**El Paso, TX
(800) 748-3726**

**Farmington, NM
(800) 541-8449**

**Master Lock®
Cable Lock Out
Safety Series™**



- Patented 5/832" (4mm) diameter x 6' (1.83mm) pull-tight cable adjusts for a secure fit every time. Also available from 2 to 50 foot long.
- Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating.

Part #
S806

**Master Lock®
Lockout I.D.Tags
"Do Not Operate"
Safety Series™**



- Heavy-duty tags comply with OSHA Lockout/Tagout Standard
- Rugged, stain and mildew-resistant styrene material
- Customize with name, department, expected completion
- Brass grommet withstands up to 80lbs. of pullout force
- Meets OSHA requirements
- 12 tags per bag

Part #
497A

**Master Lock®
Photo ID Tags
Safety Series™**



Provides a visual representation of the authorized employee.

- 3.2 in. (81.3mm) Wide x 5.8 in. (147.3mm) High English self-laminating tags
- 3/8 in. (9.5mm) diameter brass grommet accepts all Master Lock and American Lock safety padlocks and hasps.

Part #
S4801

**Master Lock®
Snap on Assorted Hasps
Safety Series™**



- Convenient storage and carrying pouch
- Includes one 410 RED Padlock on 7C5RED Circuit Breaker Padlock, one 420 Lockout hasp 491b grip tight lockout and two 492B grip tight devices.
- Includes one bag of 12-497A danger tags

Part #
427

**Master Lock®
Reusable Tags
Safety Series™**



- Patented plug lockout grips prongs of 110-120 volt plugs.
- Fits two prong plugs with and without ground.
- Use with you existing lockout padlocks or lockout hasps.

Part #
S4002

**Master Lock®
Notice Tags
Safety Series™**



- Lasting Performance in the toughest environments, Bright graphics, UV resistant, chemical resistant, abrasion resistant, water resistant.

Specifications:

- Color: Black / Blue on White
- Length: 5-3/4"
- Material: Polypropylene
- Type: Safety Tag
- Width: 3"
- Application: Tagout / Safety
- Front Legend: Notice
- Back Legend: Notice
- Product Weight: 0.06 lbs.
- Applications: Safety Tagout where superior environmental resistance is required

Part #	Color
S4061	Blue on White

Setting the Standard
FRANK'S
SUPPLY COMPANY, INC.
in Quality Equipment

Hobbs, NM
(866) 475-8665

FRANK'S
SUPPLY COMPANY, INC.
www.franks-supply.com

Los Alamos, NM
(888) 568-1100

SAFETY CATALOG

Master Lock® Warning Tags Safety Series™



- Lasting Performance in the toughest environments, Bright graphics, UV resistant, chemical resistant, abrasion resistant, water resistant.
- Color: Blank Write On Tags, Guardian Extreme Tags, S4062 Warning

Part #	Quantity
S4062	6 Package

Master Lock® Steering Wheel Cover Safety Series™



- 16" (40.6cm) Steering wheel cover provides visual deterrent for vehicle maintenance.
- Trilingual warning (English, French and Spanish) notifies employees not to start or move vehicle.
- Lock in place with a 421 hasp and safety padlock

Part #
4716

Master Lock® Danger Sign Safety Series™



- Guardian Extreme™ process fuses graphics into rugged industrial-grade polypropylene. Stands up to wash downs, humidity, temperatures from -50 F to +220 F
- Use indoors or outdoors. Stands up to sun, rain, sleet, wind borne sand and dirt and superior chemical resistance to over 30 chemicals
- 7" high x 10" wide

Part #
S12400

Master Lock® Seal Tight Handle on Lockout Safety Series™



- Clamps tight on handle stop to prevent handle movement, can be applied too 1/4" to 4" (.6cm x 10.1cm) sized valves.
- Durable aluminum & steel construction defies corrosive environments and temperatures up to 1,000F (538C).
- Works with all Master Lock and American Lock safety padlocks and hasps

Part #
S3068

Master Lock® Adjustable Ball Valve Lockout Safety Series™



- Adjustable design fits 1/2 in. (12.7mm) to 2 in. (50.8mm) valves
- Durable, lightweight thermoplastic material is chemical resistant and performs effectively in extreme environments.
- Removable insert accommodates a wide range of handle designs and dimensions.


Part #
S3081

Master Lock® Seal Tight Ball Valve Lockout Safety Series®



- Patent-pending innovative design eliminates the risk of valve reactivation by movement of the handle
- With Seal Tight, remove and store the handle and conceal the valve stem for secure lockout
- Universal fit-effectively lock out all valves from 3/8" (1cm) to 4" (10.2cm)
- Works in virtually all valve installations--metal and PVC valves, insulated pipes, pipes mounted close a wall of ceiling and valves with tight access due to close proximity to other valves or pipes
- Easy to use--simple to apply with an intuitive wrapping strap and locking mechanism
- Lightweight, flexible device is easily carried to the job and then folded for compact storage in safety toolboxes
- Includes write-on erasable labels in English, French & Spanish
- Constructed of durable PVC polyester fabric and HDPE plastic
- Performs effectively to withstand corrosive environments and operates in extreme conditions (temperature range -40°F (-40°C) to 250°F (121°C))

Part #
468L



*If you don't find everything you need,
please advise us and we will be happy
to help you in your requirements!*

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

Master Lock®
Rotating Gate Valve Lockout
Safety Series®

- Outward/inward rotation allows for easier installation and storage
- Surrounds the valve operating handle to protect against accidental valve opening
- Unique patent-pending rotating design allows for easier installation in confined space applications
- Each size rotates into itself and nests into the next larger size to save space in safety tool boxes
- Center knockout can be removed for rising stem gate valves
- Multiple workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job
- Tough, lightweight, dielectric Xenoy® thermoplastic bodies withstand chemicals
- Perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))



Part #	Description
MAS-480	Fits 1" to 3" diameter valve handles
MAS-482	Fits 4" to 6.5" diameter valve handles

Master Lock®
Rotating Gate Valve Lockout
Safety Series®



- Outward/inward rotation allows for easier installation and storage
- Surrounds the valve operating handle to protect against accidental valve opening
- Unique patent-pending rotating design allows for easier installation in confined space applications
- Each size rotates into itself and nests into the next larger size to save space in safety tool boxes
- Center knockout can be removed for rising stem gate valves
- Multiple workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job
- Tough, lightweight, dielectric Xenoy® thermoplastic bodies withstand chemicals
- Perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))

Part #	Description
480	Fits 1" to 3" diameter valve handles
482	Fits 4" to 6.5" diameter valve handles

Master Lock®
Gate Valve Lockout Set
Safet Series™



- Set of five rotating gate valve lockouts (480, 481, 482, 483, 484) applications.
- Each size rotates into itself and nests into the next larger size to save space in safety tool boxes.
- Fits valve diameters from 1"(2.5cm) to 13" (33cm).

Part #
485

Master Lock®
Set of Grip Tight
Circuit Breakers
Safety Series®



- Set of one 491B and one 493B Grip Tight™ circuit breaker lockouts
- Grip Tight circuit breakers work with simple thumb turn and clamping handle
- Patent-pending innovative design effectively lockouts out all styles of breaker toggles
- Grip Tight combines great strength with universal fit
- 491B fits tall and wide breaker toggles
- 493B design fits standard height and tie-bar toggles
- Narrow profile permits side-by-side breaker lockout
- Compact devices are easy to carry and easy to store
- Devices accept all American Lock and Master Lock safety padlock shackles and lockout hasp diameters
- Durable construction with powder coated steel and reinforced polymer for operation in harsh environments

Part #
506



Master Lock®
Wall Switch Cover
Safety Series™



- Locks out both toggle and Decora™
- Patented design assures switch stays locked on or off.
- Hinges open for unobstructed normal operations of switch.

Part #
496B

Master Lock®
Oversized Plug or Hoist
Control Cover
Safety Series™



- The cinch sack offers broad application solutions, Effectively locks out odd size and large electrical connectors and hoist controls
- 6-1/4" diameter by 17" tall (15.8cm x 43.1cm).
- Flexible & durable rip-stop nylon bag fits easily in safety tool boxes.

Part #
453L

We are in touch with the world's largest and best manufacturers.



Centralize your purchases with us!



Albuquerque, NM
(800) 432-5254

Master Lock®
Circuit Breaker Switch
Padlock
Compact
Safety Series®



- Circuit breaker switch padlock provides the flexibility to effectively lockout breaker switches
- 3/16" (4.8mm) diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- Fits the tight space constraints within circuit breaker shutoff boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication
- 1-1/8" (2.9cm) wide steel body, 4-pin cylinder, 5" (12.7cm) flexible steel cable, keyed different

Part #
7C5RED

Master Lock®
Electrical Lockout Plug
Safety Series™



- Outward/inward rotation allows for easier application & storage
- Surrounds the electrical plug and protects against accidental reconnection
- Patented rotating design allows for easier installation in confined space applications.

Part #	Voltage Rating (Volts)
487	110-220V
488	220-550V

El Paso, TX
(800) 748-3726

Master Lock®
Compact Plug Prong
Safety Series™



- Patented plug lockout grips prongs of 110-120 volt plugs
- Fits two prong plugs with and without ground
- Use with your existing lockout padlocks or lockout hasps

Part #
S2005

Master Lock®
Lockout Station
Safety Series™



- Safety Lockout Covered padlock station with 3 of the 410RES Zenex padlocks, keyed different.
- Exclusive lockable translucent cover protects contents from dust and grime, resilient poly carbonate material provides twice the heat resistance and quadruple the impact strength of typical stations.
- Station measures 12-1/4" high x 16" wide x 1-3/4" deep.

Part #
1482B

Master Lock®
Safety Lockout Hasp
For Up To 6 Locks
Safety Series™



- Tamper-resistant scissor-style steel lockout hasp
- Allows for lockout by up to 6 workers
- Compatible with Nos. 3, 410, 411 and 6835 safety lockout padlocks

Part #	Jaw Dia. (in.)
420	1

Farmington, NM
(800) 541-8449

Master Lock®
Safety Lockout Hasp
Safety Series™



- Lockout by multiple workers at each lockout point
- Attach device to energy disconnect switch
- Keeps equipment inoperative while repairs or adjustments are made
- Control cannot be turned on until last worker's padlock is removed from hasp
- Spark resistant aluminum, dielectric plastic, dual jaw aluminum
- Dimensions are 2" X 4-7/8" with 1-1/2" inside jaw diameter, holds up to 6 padlocks

Part #
417

Master Lock®
Portable Lock Box
Latch Tight
Safety Series™



- Secure each lockout point on a piece of equipment with just one designated lock
- Each authorized employee locks one personal safety lock onto the box, removing them only when their work is complete
- Exclusive Latch Tight feature ensures that keys cannot be accessed until the last lock is removed
- Lockout message in English, Spanish and French communicates to all workers
- Up to 12 workers can apply their personal safety padlocks or hasps
- Ergonomic, easy-to-grip handle

Part #
498A

Master Lock®
Box Lockout Kit
Safety Series™



- Convenient storage and carrying box
- Includes three keyed-alike, safety padlocks includes one lockout hasp, on labeled lockout hasp and 12 tags
- Three 120 volt and two 240 volt circuit breaker lockouts and a wall switch lockout also included.

Part #
1457E410KA

Master Lock®
Pouch Lockout Kit
Safety Series™



- Convenient storage and carrying pouch
- Includes one bag of 12-497A one 7C5RED Circuit Breaker Padlock, one 420 Lockout hasp 491b grip tight lockout and two 492B grip tight devices.
- Includes one bag of 12-497A danger tags

Part #
S1010E410

THE CONTRACTORS SOURCE
for Tools & Equipment
for **61** Years



Traffic Safety

Caution & Barricade Safety Tape

Non-Adhesive Polyethylene Film



- The Barricade & Caution Safety Tapes were designed to protect & identify both above & below ground hazardous areas or elements such as construction sites & utility lines.
- Perfect for lane marking and hazard identification. Warns of physical hazards & dangers such as low pipes, ceilings, steps & doorways.
- When applied to trucks, forklifts & other vehicles, it increases danger awareness.
- Use these caution tapes to mark fire equipment and hazardous areas to comply with OSHA regulations 1910.22 and 1920.144.

Part #	Size (in. x ft.)	Description
86502	3 x 1000	Reads "Caution Do Not Enter"
86602	3 x 1000	Reads "Danger Do Not Enter"

Logistics Supply Barricade Light Sundowner®



- Operates on 4 easy to install D-cell batteries
- Compact base with battery contacts that work with gravity for great conductivity
- L.E.D. encased in high impact plastic
- 90 degree angle lens offers increased visibility
- 3 Way switching options: Steady Burn, Flashing, and Off

Part #
0310WAYDCCSP

Albuquerque, NM
(800) 432-5254

Logistics Supply All-Weather Traffic Flags



- All-Weather Traffic Flags
- made from vinyl-coated nylon
- Hardwood dowel
- Heat sealed hem
- Fluorescent Orange.

Part #
032293407CSP
032293417CSP

Logistics Supply Orange Cones w/ Black Base



- All-vinyl construction.
- Durable yet flexible in any weather.
- UV-stabilized color.
- High-density black bases for maximum stability.
- Engineered to meet MUTCD specifications and NCHRP-350 requirements.

Part #	Size (in.)	Weight (lbs.)
0350005CSP	18	3
03500070CSP	28	7

The COMPLETE Source

El Paso, TX
(800) 748-3726

Logistics Supply Steelcade Type II Barricade



- 12 ga painted steel legs and plastic panels that won't rot, warp or peel.
- Recessed holes for panel mounting
- 8" top and bottom panels with engineer grade striped reflective sheeting.
- Orange/White.

Part #
9703002CSP

Logistics Supply Stop-Slow Traffic Paddles Aluminum



- STOP on one side and SLOW on the other
- Meet federal MUTCD requirements for work zones.

Size (in.)	Part #
18	OSLAE18MT



Farmington, NM
(800) 541-8449

Logistics Supply
60ft Flagging



- Pennant Flags are ideal for drawing attention to an event or defining an area perimeter.
- Common uses for these flags are sporting events, open houses, grand openings, construction sites and parking areas.
- Each 9" x 12" pennant is constructed of 4mil polyethylene and double sewn into a plastic covered, sag-resistant rope.

Color	Part #
Red	PF91260R45 7PR
Multi	PF91260M45 7PR

Logistics Supply
Wheel Chock



- Built to meet OSHA requirements
- Designed for MAXIMUM traction on practically ANY surface, wet or dry
- Metal "O" hook imbedded in back
- Fluted design causes downward pressure to lock chock into plac

Part #
WC47CH

**SALES
RENTALS
SERVICE**

Hobbs, NM
(866) 475-8665

Sun Protection
Ergodyne
10Ft x 10Ft Lightweight Tent



- 10 Ft. x 10 Ft. (3M x 3M) foot-print, peak height of 14 Ft. (3.35 m)
- 210D Polyester top with PU coating
- Hammer tone steel frame
- Pull pin sliders for convenient height adjustment between 10 Ft. to 14 Ft. (3.05 m to 4.27 m)
- Reinforced corners
- Wheeled storage bag
- Meets CPAI-84 flame resistance code
- 44 lbs (20 kg)

Part #
12910

Black Stallion®
Welding Umbrella UB100



- Full 7 foot 3 inch diameter umbrella with 8 support ribs
- Lightweight aluminum construction with 1 1/2" diameter powder coated aluminum pole.
- Vinyl rip-stop fabric
- Jam-free tilt mechanism
- Single wind vent
- 7' height, 7'3" diameter when open, 1.5" diameter pole
- Includes sturdy carrying case
- OPTIONAL heavy duty tripod stand (order above).

Part #
UB100

FRANK'S
SUPPLY COMPANY, INC.
www.franks-supply.com

SAFETY TRAINING

Frank's Supply provides safety training in a number of areas. These on-site safety programs cover situations such as aerial platform certifications, hand tool safety, ladder and scaffolding safety, fall protection, power tool safety, etc. Frank's factory trained safety coordinator provides a professional presentation to its customers.

Aerial Platform Certification - This training is to be general in nature since it covers safe operating instructions for all types of aerial platforms. The course consists of four key areas of learning - it covers responsibility, safety and operation, and finishes with practical hands-on operation. Trainees will receive aerial platform operation and safety certification cards at completion of course.

Forklift Operator Certification - Course covers both warehouse and rough terrain forklift operation. The course consists of two key areas of learning - the importance of forklift safety procedures and to demonstrate safe forklift operation. Trainees will receive a three year forklift certification by successfully completing written and hands-on forklift safety tests.

Ladder Safety - General training in the proper use of ladders to reduce the possibilities of injury on the job. The course consists of two key areas of learning - it covers using the wrong ladder and how to choose the right ladder; misusing or abusing climbing equipment and how to use and set-up a ladder correctly. Trainees will learn how to read and understand the decal codes on the ladder.

Scaffold Safety - General training in the proper erection of scaffolding and a review of OSHA's Safety Standards for scaffolds. The course consists of two key areas of learning - review of scaffold safety standards and what they mean. Plus trainees receive practical hands-on erection of scaffold. Trainees will become a "competent scaffold erector" for the construction jobsites.

Other training programs offered include: Hand Tool Safety, Skid Steer Safety and Operation, Powder Actuated Tool Certification, Power Tool Safety and Fall Protection.

CALL FRANK'S SUPPLY FOR DETAILS ON ALL TRAINING PROGRAMS.

FRANK'S
SUPPLY COMPANY, INC.
THE COMPLETE SOURCE

Los Alamos, NM
(888) 568-1100

Numerics

3M™

- Uncorded Ear Plugs 18
- 50 Person First Aid Kit 50

A

- Advantage™ Respirators 19

Anchor

- Concrete Anchor 42
- Fall Protection Anchor 42
- Sliding Beam Anchor 42

Anchor Sling

- Fall Protection Anchor Sling 41

- Anti-Fog Safety Glasses 2, 3, 4, 5, 6, 7, 8, 9

- Anti-Fog Safety Goggles 2, 3, 4, 5,

B

- Back pad Harness 36

- Ball Valve Lockout 53

Bandanas

- Cooling Bandanas 44

Barricades

- Light Barricade 57
- Steelcade Type 2 Barricades

- Black Base Safety Cones 57

Black Stallion™

- Welding Umbrella 58

Block

- Wheel Chock Chock 58

Boots

- Rubber Boots 33

Boss™

- Cotton Gloves 22
- Leather Palm Gloves 19

C

Cabinets

- Flammable Storage Cabinets 49

- Cable Choker Tie-Off Adaptor 41

- Cable Lockout 52

Carabiner

- Fall Protection Carabiner 41

Carpet Shields

- Reverse Wound Carpet Shields 49

Certified Safety Manufacturing, Inc.

- 10 Person First Aid Kit 50
- 25 Person First Aid Kit 50

- 50 Person First Aid Kit 50

- Eye & Skin First Aid 51

- Poster First Aid 51

- Towelettes First Aid 51

- Vehicle Kit First Aid 51

Chain Lanyard

- Fall Protection Chain Lanyard 38

Chemical Safety Goggles 11

Cinch Sack Lockout 55

Circuit Breakers 54, 55

- Circuit Breakers 54, 55

CLC™

- Cowhide Gloves 20, 21, 22

- Deerskin Gloves 21

- Disposable Gloves 19

- Gauntlet Cuff Gloves 32

- Gloves 25

Cleaning Station Safety Glasses 11

Cold Weather Gloves 27

Comfort Band Ear Plugs 18

Concrete Anchor 42

Cooling Bandanas 44

Cooling Towels 44

Corded Ear Plugs 18

Cotton Gloves 22

Cowhide Gloves 20, 21, 22

Custom Leathercraft Manufacturing

- Driver Gloves 20, 21

- Jersey Gloves 20

- Knit Gloves 22

- Latex Dip Gloves 20

- Leather Gloves 20

- Leather Palm Gloves 19

- Lined Rainwear 34

- Liner Gloves 23

- PVC Gloves 22

- Rubber Boots 33

- Safety Cuff Gloves 19

D

Dalloz Safety

- Disposable Dust Mask 19

- Safety Cap Headgear 16

Danger Signs 53

DBI/SALA™

- Back pad Harness 36

- Cable Choker Tie-Off Adaptor 41

- Concrete Anchor 42

- Energy Absorbers Lifeline 42

- Fall Protection Anchor 42

- Fall Protection Anchor Sling 41

- Fall Protection Carabiner 41

- Fall Protection Chain Lanyard 38

- Fall Protection Harness 34, 35, 36

- Fall Protection Insert Anchor 41

- Fall Protection Lanyard 37, 38

- Fall Protection Lifeline 40

- Fall Protection Rebar Lanyard 38

- Fall Protection Tie-Off Adaptor 36

- Plastic Fences 41

- Retracting Lifeline Safty 40

- Roofers Kit Lanyard 37

- Rope Grab 41

- Self Retracting Lanyard 39, 40

- Sliding Beam Anchor 42

- Tie Off Lanyard 38, 39

- Tool Lanyard 38, 39

- Work Harness 36

Deerskin Gloves 21

Dew Rags

- High-Performance Dew Rags 15, 44

Disposable Dust Mask 19

Disposable Gloves 19

Disposable Lens Safety Glasses 13

Driver Gloves 20, 21, 23

Dry Chemicals Fire Extinguishers 46,

47

Dust & Dirt Protection Floor Mats 49

Dust Mask

- Disposable Dust Mask 19

E

Ear Plugs

- Comfort Band Ear Plugs 18

- Corded Ear Plugs 18

- Rad-Band 23 Ear Plugs 18

- Uncorded Ear Plugs 18

Earmuffs 18

Electro Tape

- Safety Tapes 57

Energy Absorbers Lifeline 42

Ergodyne

- Cooling Bandanas 44

- Headwear 17

- Hi Visual Tent 58

- High-Performance Dew Rags 44

- Hi-Vis Head Wear 45

- ProFlex™ Gloves 29, 30

- Safety Vest 44

- Shoe Traction Device 33

Thermal Liners 17
Warming Packs Gloves 33

Ergodyne Corporation

Cooling Towels 44
Safety Vests 43, 44
Surveyors Vests 42
Thermal Liners 17

Eye & Skin First Aid 51

F

Faceshield Frames Hard Hats 16

Fall Protection Anchor 42

Fall Protection Anchor Sling 41

Fall Protection Carabiner 41

Fall Protection Chain Lanyard 38

Fall Protection Harness 34, 35, 36

Fall Protection Insert Anchor 41

Fall Protection Lanyard 37, 38

Fall Protection Lifeline 39, 40

Fall Protection Rebar Lanyard 38

Fall Protection Tie-Off Adaptor 36

Fast Fit Gloves 27

Fences

Plastic Fences 41, 45
Silt Fences 45

Fire Extinguishers

Dry Chemicals Fire Extinguishers 46, 47

First Aid

Eye & Skin First Aid 51
Poster First Aid 51
Towelettes First Aid 51
Vehicle Kit First Aid 51
10 Person First Aid Kit 50
25 Person First Aid Kit 50
50 Person First Aid Kit 50
Vehicular First Aid Kits 50

Flagging Flags 58

Flags

Flagging Flags 58
Warning Flags 57

Flammable Storage Cabinets 49

Floor Mats

Dust & Dirt Protection Floor Mats 49

Floor Shields

Multi-Purpose Floor Shields 49

Framer Gloves 25, 26

Full Brim Hard Hat Goggle Retainers 13

Funnel Safety Cans 48

G

Gasoline Safety Cans 47, 48

Gate Valve Lockout 54

Gateway Safety

Scratch-Resistant Safety Glasses 13

Gauntlet Cuff Gloves 32

Gloves 19

Cold Weather Gloves 27
Cotton Gloves 22
Cowhide Gloves 20, 21, 22
Deerskin Gloves 21
Disposable Gloves 19
Driver Gloves 20, 21, 23
Fast Fit Gloves 27
Framer Gloves 25, 26
Gauntlet Cuff Gloves 32
Gloves 24
Grip Gloves 28
Impact-Pro Gloves 26
Jersey Gloves 20
Knit Gloves 22
Latex Dip Gloves 20
Leather Gloves 20
Leather Palm Gloves 19
Liner Gloves 23
Mechanics Gloves 25, 27
Mechanix Gloves 24, 25, 26, 27
M-Pact Gloves 24, 28, 29
Performance Gloves 23
Pro-Fit Gloves 25
ProFlex™ Gloves 29, 30
PVC Gloves 22
Safety Cuff Gloves 19
Utility Gloves 25
Warming Packs Gloves 33
Welder Gloves 22
Winter Armor Gloves 27

Goggles

Full Brim Hard Hat Goggle Retainers 13

Grip Gloves 28

H

Handle Lockout 53

Hard Hats

Faceshield Frames Hard Hats 16
Skullgard™ Hard Hats 15

Sun Shield Hard Hats 15

Sweatbands Hard Hats 16

Vented Hard Hats 14

V-Gard™ Hard Hats 14

Visors Hard Hats 15

Harness

Back pad Harness 36
Fall Protection Harness 34, 35, 36
Work Harness 36

Hasps

Safety Lockout Hasps 55, 56

Head Liner

Winter Head Liner 17

Head Wear

Hi-Vis Head Wear 45

Headgear

Safety Cap Headgear 16

Headwear

Headwear 17

Hi Visual Tent 58

High-Performance Dew Rags 44

Hi-Vis Head Wear 45

Hi-Visibility Vest 43

I

Impact-Pro Gloves 26

Insert Anchor

Fall Protection Insert Anchor 41

Inspection Tags

Safety Inspection Tags 52, 53

J

Jackson Safety™

Sandbags 45
Vehicular First Aid Kits 50

Justrite™

Flammable Storage Cabinets 49
Funnel Safety Cans 48
Gasoline Safety Cans 47, 48

K

Keyed Padlocks 51

Kit

Storage Kit Lockout Tagout 56

Knit Gloves 22

L

Lanyard

SAFETY CATALOG

Fall Protection Lanyard 37, 38
Roofers Kit Lanyard 37
Self Retracting Lanyard 40
Tie Off Lanyard 38, 39
Tool Lanyard 38

Latex Dip Gloves 20

Leather Gloves 20

Leather Palm Gloves 19

Lifeline

Energy Absorbers Lifeline 42
Fall Protection Lifeline 40

Light Barricade 57

Lined Rainwear 34

Liner Gloves 23

Lock Box

Portable Lock Box 56

Lockout Tagout

Cable Lockout 52
Cinch Sack Lockout 55
Gate Valve Lockout 54
Handle Lockout 53
Plug Lockout 55
Statim Lockout 55
Steering Wheel Lockout 53
Valve Lockout 53
Wall Cover Lockout 55
Safty Tag Lockout Tags 52
Lockout Tags 52
Photo Lockout Tags 52

Logistics Supply

Black Base Safety Cones 57
Dry Chemicals Fire Extinguishers 46,
47
Flagging Flags 58
Light Barricade 57
Steelcade Type 2 Barricades 57
Stop-Slow Signs 57
Warning Flags 57
Wheel Chock 58

M

Master Lock™

Ball Valve Lockout 53
Cable Lockout 52
Cinch Sack Lockout 55
Circuit Breakers 54, 55

Danger Signs 53
Gate Valve Lockout 54
Handle Lockout 53
Keyed Padlocks 51
Lock Out Tags Lockout Tagout 52
Lockout Tags 52
Photo Lockout Tags 52
Plug Lockout 55
Portable Lock Box 56
Safety Inspection Tags 52, 53
Safety Lockout Hasps 55, 56
Safty Tag Lockout Tags 52
Statim Lockout 55
Steering Wheel Lockout 53
Storage Kit Lockout Tagout 56
Valve Lockout 53
Wall Cover Lockout 55

Mechanix Wear™

Cold Weather Gloves 27
Fast Fit Gloves 27
Framer Gloves 25, 26
Grip Gloves 28
Impact-Pro Gloves 26
Mechanix Gloves 24, 27, 28
M-Pact Gloves 24, 27, 28, 29
Pro-Fit Gloves 25
Utility Gloves 25
Winter Armor Gloves 27

Mine Safety Appliances Company

Advantage™ Respirators 19
Comfort Band Ear Plugs 18
Corded Ear Plugs 18
Disposable Lens Safety Glasses 13
Earmuffs 18
Faceshield Frames Hard Hats 16
Full Brim Hard Hat Goggle Retainers
13
Skullgard™ Hard Hats 15
Sun Shield Hard Hats 15
Sweatbands Hard Hats 16
V-Gard™ Hard Hats 14
Visors Hard Hats 15

M-Pact Gloves 24, 27, 28, 29

MSA

Visors Hard Hats 15

Multi-Purpose Floor Shields 49

N

Nano-Lok

Self Retracting Lanyard 39, 40

P

Padlocks

Keyed Padlocks 51

Perforated Safety Goggles 2, 11

Performance Gloves 23

Photo Lockout Tags 52

Pigskin Palm Gloves 24

Plastic Fences 41, 45

Plug Lockout 55

Portable Lock Box 56

Poster First Aid 51

Prime Source

T Post 44

Prime Source Building Products

Plastic Fences 45
Silt Fences 45

Pro-Fit Gloves 25

ProFlex™ Gloves 29, 30

Protective Industrial Products

Disposable Gloves 19
Driver Gloves 21
Hi-Visibility Vest 43
Safety Gloves 30, 31, 32
Safety Vest 43
Safty Gloves 21
Surveyors Vests 42
Vented Hard Hats 14
Winter Head Liner 17

PVC Gloves 22

Pyramex™ Safety Products

Anti-Fog Safety Glasses 2, 3, 4, 5, 6,
7, 8, 9, 10
Anti-Fog Safety Goggles 3
Chemical Safety Goggles 11
Cleaning Station Safety Glasses 11
Perforated Safety Goggles 11
Side Shield for Safety Glasses 11
Slip-On Safety Glasses Cord 11
Stylish Safety Glasses 11

R

Rad-Band 23 Ear Plugs 18

Radians™

Anti-Fog Safety Glasses 2
High-Performance Dew Rags 44
Perforated Safety Goggles 2

Albuquerque, NM
(800) 432-5254

El Paso, TX
(800) 748-3726

Farmington, NM
(800) 541-8449

Rad-Band 23 Ear Plugs 18
 Safety Gloves 23
 Uncorded Ear Plugs 18

Rainwear
 Lined Rainwear 34

Rebar Lanyard
 Fall Protection Rebar Lanyard 38

Respirators
 Advantage™ Respirators 19

Retracting Lifeline Safty 40

Revco
 Pigskin Palm Gloves 24

Revco Industries
 Mechanics Gloves 25
 Welding Gloves 22

Reverse Wound Carpet Shields 49

Roofers Kit Lanyard 37

Rope Grab 41
 Rope Grab 41

Rubber Boots 33

S

Safety Cans
 Funnel Safety Cans 48
 Gasoline Safety Cans 47, 48

Safety Cap Headgear 16

Safety Cones
 Black Base Safety Cones 57

Safety Cuff Gloves 19

Safety Glasses 11, 12
 Anti-Fog Safety Glasses 2, 3, 4, 5, 6, 7, 8, 9, 10
 Cleaning Station Safety Glasses 11
 Disposable Lens Safety Glasses 13
 Safety Glasses 11, 12
 Scratch-Resistant Safety Glasses 13
 Side Shield for Safety Glasses 11
 Stylish Safety Glasses 11

Safety Glasses Cords
 Slip-On Safety Glasses Cord 11

Safety Gloves 23, 30, 31, 32

Safety Goggles
 Anti-Fog Safety Goggles 2, 3
 Chemical Safety Goggles 11
 Perforated Safety Goggles 2, 11

Safety Inspection Tags 52, 53

Safety Lockout Hasps 55, 56

Safety Tapes 57

Safety Vest 43, 44

Safty Tag Lockout Tags 52

Sandbags
 Sandbags 45

Scratch-Resistant Safety Glasses 13

Self Retracting Lanyard 39, 40

Shoe Covers
 Slip-On Shoe Covers 49

Shoe Traction Device 33

Side Shield for Safety Glasses 11

Signs
 Danger Signs 53
 Stop-Slow Signs 57

Silt Fences 45

Skullgard™ Hard Hats 15

Sliding Beam Anchor 42

Slip-On Safety Glasses Cord 11

Slip-On Shoe Covers 49

Smith & Wesson
 Safety Glasses 11, 12

Statim Lockout 55

Steelcade Type 2 Barricades 57

Steering Wheel Lockout 53

Stop-Slow Signs 57

Storage Kit Lockout Tagout 56

Stylish Safety Glasses 11

Sun Shield Hard Hats 15

Surface Shields, Inc.
 Dust & Dirt Protection Floor Mats 49
 Multi-Purpose Floor Shields 49
 Reverse Wound Carpet Shields 49
 Slip-On Shoe Covers 49

Surveyors Vests 42

Sweatbands Hard Hats 16

T

T Post
 T Post 45

Tapes
 Safety Tapes 57

Tent
 Hi Visual Tent 58

Thermal Liners 17

Tie Off Lanyard 38, 39

Tie-Off Adaptor
 Cable Choker Tie-Off Adaptor 41
 Fall Protection Tie-Off Adaptor 36

Tillman
 Driver Gloves 21, 23
 Performance Gloves 23

Tool Lanyard 38, 39

Towelettes First Aid 51

Traction Device
 Shoe Traction Device 33

U

Umbrella
 Welding Umbrella 58

Uncorded Ear Plugs 18

Utility Gloves 25

V

Valve Lockouts
 Ball Valve Lockout 53
 Gate Valve Lockout 54

Vehicle Kit First Aid 51

Vehicular First Aid Kits 50

Vented Hard Hats 14

Vest
 Hi-Visibility Vest 43
 Safety Vest 43, 44

V-Gard™ Hard Hats 14

Visors Hard Hats 15

W

Wall Cover Lockout 55

Warming Packs Gloves 33

Warning Flags 57

Welding Gloves 22

Welding Umbrella 58

Wheel Chock 58

Winter Armor Gloves 27

Winter Head Liner 17

Work Harness 36

Y

YakTrax™
 Shoe Traction Device 33

Yellowstone Gloves
 Welder Gloves 22

Salesman: _____



Store #: _____

New Account Information Sheet

SEND THIS 2-PAGE APPLICATION TO:

Frank's Supply
3311 Stanford Drive NE
Albuquerque, NM 87107
Fax: 505-884-0244

Full Legal Name/Business Entity: _____

Doing Business as (DBA): _____

Physical Address: _____ City: _____ State: _____ Zip: _____

Billing Address: _____ City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Cell#: _____ Email: _____

Type of Business: _____ Contractors License#: _____ Years in Business: _____

Purchase Order Required? Job Location: _____

Corporation Partnership Proprietorship Tribal Entity FID# _____ State ID# _____

Dun & Bradstreet#: _____

FINANCIAL INFORMATION

Bank: _____ Contact: _____ Account#: _____

Address: _____ Phone#: _____

TRADE REFERENCES

Name	Contact Address (City, State, & Zip)	Fax #	Account #
1.) _____	_____	_____	_____
2.) _____	_____	_____	_____
3.) _____	_____	_____	_____

PERSONAL INFORMATION ON OWNER/PRINCIPALS/GUARANTORS

Name/Title: _____ DOB: _____ Soc. Sec. #: _____

Home Address: _____ City: _____ State: _____ Zip: _____

TERMS

1% 15 days from Invoice, Net 30 days.

Person signing below, agrees to pay interest at the rate of 1.5% per month (18% per annum) on all past due balances plus all cost of collection and reasonable attorney's fees, pre- and post-judgement, if account is placed for collections. Applicant understands and agrees it is submitting itself to the jurisdiction of New Mexico and venue proper in the County of Bernalillo, and any claims of a sovereign status are hereby waived. Applicant authorized Frank's Supply Co. Inc., to obtain any information from the references listed and/or from any other source Frank's Supply Co. Inc., determines is necessary prior to extending credit. If Corporation, undersigned guarantor jointly and severally, hereby personally guaranty unconditionally the payment of any sums or obligations which are now or shall hereafter become due by the Applicant to the Creditor. Frank's Supply Co. Inc., is a provider of payment information to credit reporting agencies.

I agree to notify Frank's Supply Company of any change of address or ownership within 30 days.

Signature: _____ Date: _____

Name (Print or Type): _____



GUARANTY AGREEMENT

In consideration of the extension of credit granted by Frank's Supply Co. Inc., the undersigned hereby personally and unconditionally guaranty payment without presentment, demand or notice, of whatever amount the Applicant shall at any time be owing. This shall be an open, absolute, and continuing guaranty, and shall continue in force notwithstanding any change in the form of indebtedness or renewals or extensions granted by Frank's Supply Co. Inc., unless and until expressly revoked by written notice via registered mail provided any such written revocation shall not affect any indebtedness contracted prior to receipt of the revocation. The undersigned further agrees to pay all costs of collection whether incurred pre- or post- judgement, including attorney's fees and interest.

Date: _____ Signed: _____

Guarantor (Sign Individually)

Date: _____ Signed: _____

Guarantor (Sign Individually)

If applicable, please submit tax exempt certificate and/or certificate of insurance. (See Insurance Certificate Requirements)

PLEASE CHECK BELOW WHICH BRANCH YOU WILL BE PURCHASING FROM:

Albuquerque, NM El Paso, TX Farmington, NM Hobbs, NM Los Alamos, NM

El Paso, TX
1211 Barranca Drive
Toll-Free (800) 748-3726

Hobbs, NM
2230 W. Bender Road
Toll-Free (866) 475-8665

2 of 2

Albuquerque, NM
3311 Stanford Drive
Toll-Free (800) 432-5254

Farmington, NM
2655 E. Bloomfield Highway
Toll-Free (800) 541-8449

Los Alamos, NM
268 DP Road
Toll-Free (888) 568-1100

**The Complete Source
For Construction and Industry**

- Aerial Work Platforms
- Air Compressors
- Air Tools
- Backhoes
- Bobcat Loaders
- Cable Pullers



- Compaction Equipment
- Concrete Saws
- Core Drilling Rigs
- Cut-Off Saws
- Diamond Blades
- Forklifts

- Lasers
- Light Towers
- Mixers
- Piercing Tool
- Pipe Benders
- Ride-On Trenchers



- Rotary Hammers
- Scaffolding
- Scissor Lifts
- Welders

GSA Contract #
GS-06F-0031L

www.franks-supply.com

Family Owned and
Operated Since 1953



**MAKE THE RIGHT CHOICE.
SAFETY FIRST. EVERY TIME. NO EXCUSES.**

**PROTO SAFETY SEMINARS,
PRESENTED AT YOUR REQUEST:**

- Hands-on demonstration of key tool categories.
- Pointers for choosing the right tool for the job.
- How to check tools for wear and damage.
- Recommendations for workplace safety.
- Examples of tool safety features.



©2014 Stanley Black & Decker, Inc.

TETHER & TRANSFER SYSTEM

The next generation of safety technology for positive control of hand tools at height, in work areas requiring foreign material exclusion (FME) or anywhere simple accidents become costly mistakes. Since a better tether system is a safer tether system, SkyHook™ provides secure tool transfers, a free range of motion, and positive tool control at the worksite.

J209GXL-TT

Heavy Duty Diagonal
Cutting Pliers w/ Grip - 7"



J5220-TT

3/8" Drive 5/8" Socket - 12 Point



JLAN40LBD3LKSW

40 lb Web Lanyard with (2)
Triple Lock Swiveling Carabiners

J1324AVP-TT

AntiVibe® Steel
Ball Pein Hammer - 24 oz



**"NEXT GENERATION
SAFETY
TECHNOLOGY"**

©2014 Stanley Black & Decker, Inc.

QUALITY TOOLS & EQUIPMENT




SALES • RENTALS • SERVICE

ALBUQUERQUE



3311 Stanford Drive NE
Albuquerque, NM 87107

EL PASO




1211 Barranca Dr.
El Paso, TX 79935

FARMINGTON



2655 E. Bloomfield Hwy.
Farmington, NM 87401

HOBBS



2230 W. Bender Road
Hobbs, NM 88240

LOS ALAMOS



268 DP Road
Los Alamos, NM 87544

SAFETY

FRANK'S

SUPPLY COMPANY, INC.

TRAINING

Frank's Supply provides safety training in a number of areas. These on site safety programs cover situations such as aerial platform certifications, hand tool safety, ladder and scaffolding safety, fall protection, power tool safety, etc. Frank's factory trained safety coordinator provides a professional presentation to its customers.

Aerial Platform Certification

This training is to be general in nature since it covers safe operating instructions for all types of aerial platforms. The course consists of four key areas of learning - it covers responsibility, safety and operation, and finishes with practical hands-on operation. Trainees will receive aerial platform operation and safety certification cards at completion of course.

Forklift Operator Certification

Course covers both warehouse and rough terrain forklift operation. The course consists of two key areas of learning - the importance of forklift safety procedures and to demonstrate safe forklift operation. Trainees will receive a three year forklift certification by successfully completing written and hands-on forklift safety tests.



Ladder Safety

General training in the proper use of ladders to reduce the possibilities of injury on the job. The course consists of two key areas of learning - it covers using the wrong ladder and how to choose the right ladder; misusing or abusing climbing equipment and how to use and set-up a ladder correctly. Trainees will learn how to read and understand the decal codes on the ladder.

Scaffold Safety

General training in the proper erection of scaffolding and a review of OSHA's Safety Standards for Scaffolds. The course consists of two key areas of learning - review of scaffold safety standards and what they mean. Plus trainees receive practical hands-on erection of scaffold. Trainees will become a "competent scaffold erector" for the construction jobsites.

Other training programs offered include: Hand Tool Safety, Skid Steer Safety and Operation, Powder Actuated Tool Certification, Power Tool Safety and Fall Protection.

Call Frank's Supply for details on all training programs.

